


SAFETY FOOTWEAR CATALOG | 2025



We are updating this catalog annually along with information on the new products .
Please scan this QR code and share your details to get a copy of the next edition directly in your mailbox.

TABLE OF CONTENTS

03	Table of contents
04	Safety footwear description
06	European Standards
08	Oliver range
10	AT65
11	AT55
13	AT45
15	Gum Boots
16	Cocoon Evo
23	Agile
32	Otter range
33	Otter Premium
40	Otter Flex
45	Athletic
47	MTS range
48	Standards
49	Sporty Range
52	M-Soft
56	White
60	Elle-M
63	Ultimate Footwear
69	Ultimate Steel
76	M-Climber
84	M-XTREME (HRO, (i)xtreme evolution, Bac'run)
96	TECH
102	Start Up
108	M-City
110	Oil and Gas - Energy Range
112	Firefighters Range
114	King's Range
116	KWD Range
118	KWX Range
119	95 Series
122	Nit'Lite
124	Healthcare, Food and Hospitality Range
127	Bacou laces
128	Insocks table
129	Catalogue icons
130	Merchandising Options
140	Contact details



SAFETY FOOTWEAR PROTECTION COMFORT WELL-BEING AND DURABILITY

Across our footwear brands, we have developed a culture of innovation and expertise to offer footwear with high-added value that can meet the requirements of a job, a specific environment or a geographical region.

SAFETY FROM HEEL TO TOE

There are many hazards at our workplace which may lead to foot injuries like falling, crushing or penetrating materials, hot, corrosive or poisonous substances, electrical hazards, static electricity or slippery surfaces. Thus, wearing the right pair of safety shoes can protect you from injuries. We bring you safety shoes that are lab-tested, helping to ensure protection for your feet along with an optimal fit to render them comfortable even when worn for longer periods of time.

Our protective footwear offers the most trusted brands in this category: Oliver, Otter, MTS and King's. With over 135 years of experience in manufacturing safety footwear and a total of 107 granted patents, our brands offer a wide portfolio of protective shoes. Our safety footwear benefits from advanced features like extra-safety and compliance margins on the toe cap, shock absorption, heat, oil and slip resistance and many more that help ensure the safety of the workers' feet in virtually any work condition and environment.

THE NEEDS OF ALL OUR CUSTOMERS

The knowledge and understanding of our partners' expectations help ensure that we develop quality footwear that is durable and reliable, to provide functional, comfortable and attractive protection.

FOCUS ON WELL-BEING

Being an expert in safety footwear means caring about the customer's well-being, finding the balance between excellent protection and real comfort. We offer a wide range of comfortable safety footwear inspired by the latest fashion trends and technological developments.

TECHNOLOGY AND INNOVATION

Our footwear ranges benefit from the latest advancements in research and development: non-metallic toe caps, flexible and lightweight shoes, slip-resistant outsoles, technical textiles, modular insole system, ESD, etc.

RIGOUR AND QUALITY

Our development expertise is combined with rigour and quality. All manufacturing is managed by a certified ISO 9001 quality assurance system. From the design of the footwear to the aftersales service, all tests are carried out to meet the latest EN Standard compliance.

OUR FAMILY OF BRANDS – PROTECTING FEET SINCE 1887



OLIVER: Superior Quality for Ultimate Protection

Oliver is one of the oldest and most respected brands in the world of safety footwear. Founded in 1887 under the Oliver & Stevens company, Oliver Footwear commenced producing tough and durable boots for miners and farmers, quickly establishing itself as one of Australia's leading safety footwear manufacturers.



OTTER: All-Round Performance – At Your Feet

A world-renowned leader in safety innovation, respecting its German quality values and committing to taking them further. The company has been creating footwear for over 125 years and since the very beginning one thing has been a clear priority: quality



MTS: More Than Safety

With more than 60 years of experience and French shoe-making know-how, MTS is one of the leading safety footwear brands in Europe that is 100% made in France. MTS offers a wide range of safety shoes and boots that meet the toughest demands and requirements of virtually every trade like construction, food production, metal, electronics, forestry and many others.



KING'S: Long-Lasting Comfort, Unbeatable Value

A leading footwear brand from Singapore with a core mission to provide comfortable, durable and high-quality safety footwear for a wide array of working environments, particularly in ASEAN countries where boots are required to withstand daily field use in dry, wet, or muddy conditions. For over 55 years, King's has manufactured high quality safety footwear at a great value to its users

EUROPEAN STANDARDS



EN ISO 20345:2011

CATEGORY	EN ISO 20345 REQUIREMENTS
SB	Basic requirements for shoes: toe cap resistant to an impact of 200 Joules and crushing of 15kN
S1	Basic requirements + - Closed heel area - Antistatic properties - Heel energy absorption - Resistance to fuel oil
S1P	S1 + - Anti-puncture resistance (P)
S2	S1 + - Upper penetration and absorption
S3	S2 + - Anti-puncture resistance - Cleated outsole

EN ISO 20345:2022

CATEGORY	EN ISO 20345:2022
SB	Basic requirements for shoes: toe cap resistant to an impact of 200 Joules and crushing of 15kN
S1	Basic requirements + - Closed heel area - Antistatic properties - Heel energy absorption
S2	S1 + - Water penetration and absorption
S3 (metal insert type P) S3L (non-metal insert type PL) S3S (non-metal insert type PS) S6 S7 (metal insert type P) S7L (non-metal insert type PL) S7S (non-metal insert type PS)	S2 + - Anti-puncture resistance - Cleated outsole S2 + Water resistance of the whole footwear S3 + Water resistance of the whole footwear

ADDITIONAL REQUIREMENTS FOR SPECIFIC APPLICATIONS WITH RELEVANT MARKING SYMBOL

REQUIREMENT	SYMBOL		
Whole shoe	Puncture resistance Electrical properties: - Conductive footwear - Antistatic footwear	P C A	
	Resistance to inimical environments: - Heat insulation of the sole complex - Cold insulation of the sole complex - Energy absorption of the seat area - Water resistance - Metatarsal protection - Ankle protection - Cut resistance	HI CI E WR M AN CR	
	Upper	Water penetration and water absorption	WRU
	Outsole	Resistance to hot contact Resistance to fuel oil	HRO FO

EN ISO 20345:2022	SYMBOL
Perforation resistance (metal insert type P)	P
Perforation resistance (non-metal insert type PL)	PL
Perforation resistance (non-metal insert type PS)	PS
Electrical properties	
- Partially conductive footwear	C
- Antistatic footwear	A
Resistance to inimical environment	
- Heat insulation of outsole complex	HI
- Cold insulation of outsole complex	CI
Energy absorption of the seat region	E
Water resistance	WR
Metatarsal protection	M
Ankle protection	AN
Cut resistance	CR
Scuff abrasion	SC
Slip resistance on ceramic tile floor with glycerine	SR
Water resistance and absorption	WPA
Resistance to hot contact	HRO
Resistance to fuel oil	FO
Ladder Grip	LG

EN ISO 20346:2022 AND EN ISO 20347:2022

	PROFESSIONAL USE	SYMBOL
EN ISO 20346	Work footwear	PB P1 P2 P3
EN ISO 20347	Occupational footwear (without toe cap)	OB 01 02 03

EUROPEAN STANDARDS AND SIZES

ESD CERTIFICATION - 61340-5-1:2016



IEC 61340-4-3

(Standard test methods for specific applications – Footwear)

- 2001
 - 2 categories:
 - Conductive footwear
 - Dissipative footwear

3 different classes with pre-conditioning, conditioning and measurement

- 2017
 - No class, only one condition of test



EN 61340-5-1

(Protection of electronic devices from electrostatic phenomena – general requirements)

- Footwear shall be marked conductive or dissipative
- The marking shall include the environmental class and footwear type
- 2001
 - Footwear shall be marked conductive or dissipative
 - The marking shall include the environmental class and footwear type
 - Conductive footwear
- $< 1 \times 10^5 \Omega$
 - Dissipative footwear
- $1 \times 10^5 \Omega \leq R \leq 1 \times 10^8 \Omega$
- 2016
 - No special marking on the footwear
 - $R \leq 1 \times 10^8 \Omega$



FIREFIGHTER STANDARD: EN 15090:2012

Minimum performance requirements and corresponding test methods for fire service footwear to be used in fire fighting and related activities.

DGV 112-191

This regulation covers the use of orthopedic insoles in the workplace. It means that any modification of the safety shoes, such as replacing the original insoles provided by the manufacturer, is prohibited by the CE standard. Any change made to safety footwear results in noncompliance to EN ISO 20345:2022 and in case of accident, the wearer will no longer be protected by their accident insurance.

SRC CERTIFICATION > SLIP RESISTANCE PERFORMANCE OF THE OUTSOLE				
Marking	Surface	Lubricant	Friction factor: backward forepart	Friction factor: forward heel
Mandatory	Ceramic plates	Sodium lauryl sulfate	≥ 0.36	≥ 0.31
SR		Glycerol	≥ 0.22	≥ 0.19

SIZE CONVERSION CHART															
FR	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49
UK	3	3.5	4	5	6	6.5	7	8	9	10	10.5	11	12	13	14
US	4	4.5	5	6	7	7.5	8	9	10	11	11.5	12	13	14	15

SUPERIOR QUALITY FOR ULTIMATE PROTECTION

Today, Oliver footwear stands for quality, comfort and protection. Oliver safety footwear is sold globally, leveraging its unique history of superior craftsmanship and experience in the extreme working conditions to offer the ultimate combination of rugged and comfortable work shoes.



INSIDE EVERY OLIVER BOOT

Oliver work boots are equipped with advanced technology features to provide safety, durability and the ultimate comfort experience.



AT65 SERIES



65-791 - 350MM BLACK LACE UP MINING BOOT S3 M HRO SRC

- 100% waterproof premium full grain leather
- New Y-Guard TPU ankle protectors provides impact resistance
- Flush, integrated zip contours to the boot
- Heavy Duty KEVLAR®1 stitching on critical wear seams
- Internal PORON® XRD metatarsal guard
- Q-flex® non metallic penetration protection insole
- Reflective panel above the heel increases visibility
- Rubber outsole, resistant to 300°C surface contact



REF.	DESCRIPTION	SIZE
65791-BLK	350mm Black Lace Up Mining Boot	36-51

65-493 - 240MM BROWN PULL ON RIGGERS BOOT S3 M HRO SRC

- 100% waterproof premium full grain leather
- Heavy duty coated leather for ultimate durability
- Internal PORON® XRD metatarsal guard
- Q-flex® non metallic penetration protection insole
- Excellent slip resistant sole; SRC slip resistant classification
- Anti-static
- Rubber outsole, resistant to 300°C surface contact
- Pull on loops for easy donning



REF.	DESCRIPTION	SIZE
65493-BRN	240mm Brown Pull On Riggers Boot	36-51

65-490 - 150MM BROWN LACE UP BOOT S3 HRO SRC

- 100% waterproof CORDURA® and full grain leather
- High abrasion and chemical resistance
- Heavy duty Kevlar® stitching across all critical wear seams
- Q-flex® non metallic penetration protection insole
- Free running, quick-adjust lacing system



REF.	DESCRIPTION	SIZE
65490-BRN	150mm Brown Lace Up Boot	36-51

AT55 SERIES



55-320 - BLACK ELASTIC SIDED BOOT

S2 HRO SRC

- Water resistant full grain leather
- TECtuff® toe bumper to protect against scuffing
- COOLstep® lining to absorb moisture and odour for optimum freshness and hygiene
- HEELguard for added stability and impact protection.
- COMFORTcushion® Impact Absorption System with PORON® protects the heel and ball of the foot
- NATUREform® steel toe cap with a wide profile for greater comfort
- NANOLite® footbed with a gently raised surface to help reduce fatigue
- Excellent slip resistant sole; SRC slip resistant classification. Anti-static
- Sole resistant to mineral & organic oils & acids. Cut, split and crack resistant



REF.	DESCRIPTION	SIZE
55320-BLK	Black Elastic Sided Boot	36 - 51

55-336-WHEAT LACE UP MET BOOT

SB P M WRU HRO FO E SRC

- Water resistant nubuck leather
- TECtuff® toe bumper to protect against scuffing
- PORON® XRD™ flexible internal metatarsal guard
- Q-Flex® non metallic penetration protection insole
- COOLstep® lining to absorb moisture and odour for optimum freshness and hygiene
- HEELguard for added stability and impact protection
- Excellent slip resistant sole; SRC slip resistant classification. Electrical
- Hazard Resistance
- Sole resistant to mineral & organic oils & acids. Cut, split and crack resistant



REF.	DESCRIPTION	SIZE
55336-WHT	Wheat Lace Up Met Boot	36 - 51

55-332 - 150MM WHEAT LACE UP BOOT

S2 HRO SRC

- Water resistant nubuck leather
- TECtuff® toe bumper to protect against scuffing
- COOLstep® lining to absorb moisture and odour for optimum freshness and hygiene
- HEELguard for added stability and impact protection
- COMFORTcushion® Impact Absorption System with PORON® protects the heel and ball of the foot
- NATUREform® steel toe cap with a wide profile for greater comfort
- NANOLite® footbed with a gently raised surface to help reduce fatigue
- Excellent slip resistant sole; SRC slip resistant classification. Anti-static
- Sole resistant to mineral & organic oils & acids. Cut, split and crack resistant



REF.	DESCRIPTION	SIZE
55332-WHT	150mm Wheat Lace Up Boot	36 - 51

AT55 SERIES



55-332Z - 150MM WHEAT ZIP SIDED BOOT

S2 HRO SRC

- Water resistant nubuck leather
- TECtuff® toe bumper to protect against scuffing
- COOLstep® lining to absorb moisture and odour for optimum freshness and hygiene
- HEELguard for added stability and impact protection
- COMFORTcushion® Impact Absorption System with PORON® protects the heel and ball of the foot
- NATUREform® steel toe cap with a wide profile for greater comfort
- NANOLite® footbed with a gently raised surface to help reduce fatigue
- Excellent slip resistant sole; SRC slip resistant classification. Anti-static
- Sole resistant to mineral & organic oils & acids. Cut, split and crack resistant.
- Also available in black colour



REF.	DESCRIPTION	SIZE
55332Z-WHT	150mm Wheat Zip Sided Boot	36-51

55-385 - 200MM HI-LEG - WHEAT ZIP SIDED BOOT

S2 HRO SRC

- Water resistant nubuck leather
- TECtuff® toe bumper to protect against scuffing
- COOLstep® lining to absorb moisture and odour for optimum freshness and hygiene
- HEELguard for added stability and impact protection.
- COMFORTcushion® Impact Absorption System with PORON® protects the heel and ball of the foot
- NATUREform® steel toe cap with a wide profile for greater comfort
- NANOLite® footbed with a gently raised surface to help reduce fatigue
- Excellent slip resistant sole; SRC slip resistant classification. Anti-static
- Sole resistant to mineral & organic oils & acids. Cut, split and crack resistant



REF.	DESCRIPTION	SIZE
553385-WHT	200mm Hi-Leg - Wheat Zip Sided Boot	36 - 51

55-380 - 200MM HI-LEG BLACK ZIP SIDED BOOT

S2 HRO SRC

- Water resistant full grain leather
- TECtuff® toe bumper to protect against scuffing
- COOLstep® lining to absorb moisture and odour for optimum freshness and hygiene
- HEELguard for added stability and impact protection
- COMFORTcushion® Impact Absorption System with PORON® protects the heel and ball of the foot
- NATUREform® steel toe cap with a wide profile for greater comfort
- NANOLite® footbed with a gently raised surface to help reduce fatigue
- Excellent slip resistant sole; SRC slip resistant classification. Anti-static
- Sole resistant to mineral & organic oils & acids. Cut, split and crack resistant



REF.	DESCRIPTION	SIZE
55380-BLK	200mm Hi-Leg Black Zip Sided Boot	36 - 51


AT45 SERIES



45-632Z - 150MM WHEAT ZIP SIDED BOOT

SB WRU FO E SRB

- Water resistant nubuck leather.
- COMFORTcushion® Impact Absorption System with PORON® protects the heel and ball of your foot
- NATUREform® wide profile hi-impact composite safety toe cap; fully nonmetallic
- AT's All Terrain dual density TPU/PU sole, heat resistant to 130 °C surface contact
- Convenient side zip




REF.	DESCRIPTION	SIZE
45632Z-WHT	150mm Wheat Zip Sided Boot	38 - 49

45-645Z - 150MM BLACK ZIP SIDED BOOT

SB WRU FO E SRB

- Water resistant nubuck leather.
- COMFORTcushion® Impact Absorption System with PORON® protects the heel and ball of your foot
- NATUREform® wide profile hi-impact composite safety toe cap; fully nonmetallic
- AT's All Terrain dual density TPU/PU sole, heat resistant to 130 °C surface contact
- Convenient side zip



REF.	DESCRIPTION	SIZE
45645Z-BLK	150mm Black Zip Sided Boot	38 - 49

45-632 - 150MM WHEAT LACE UP BOOT

SB WRU FO E SRB

- Water resistant nubuck leather.
- COMFORTcushion® Impact Absorption System with PORON® protects the heel and ball of your foot
- NATUREform® wide profile hi-impact composite safety toe cap; fully nonmetallic
- AT's All Terrain dual density TPU/PU sole, heat resistant to 130 °C surface contact



REF.	DESCRIPTION	SIZE
45632-WHT	150mm Wheat Lace Up Boot	38 - 49


AT45 SERIES



45-650Z - 130MM STONE ZIP SIDED BOOT

SB WRU FO E SRB

- Water resistant nubuck leather.
- COMFORTcushion® Impact Absorption System with PORON® protects the heel and ball of your foot
- NATUREform® wide profile hi-impact composite safety toe cap; fully nonmetallic
- AT's All Terrain dual density TPU/PU sole, heat resistant to 130°C surface contact
- Convenient side zip



REF.	DESCRIPTION	SIZE
45650Z-STE	130mm Stone Zip Sided Boot	38 - 49

OLIVER FOOTWEAR SIZE CONVERSION CHART*

UK/AUST MEN**	UK/AUST LADIES***	METRIC	USA MEN	USA LADIES
2	4	34	3	4, 4½
3	5	35	4	5, 5½
4	6	36	5	6, 6½
4½	6½	37	5½	7
5	7	38	6	7½
5½	7½		6½	8
6	8	39	7	8½
6½	8½	40	7½	9
7	9	41	8	9½
7½	9½		8½	10
8	10	42	9	10½
8½	10½		9½	11
9	11	43	10	11½
9½			10½	
10		44	11	
10½		45	11½	
11		46	12	
12		47	13	
13		48	14	
14		49	15	
15		50	16	
16		51	17	
17		52	18	

GUM BOOTS



GREEN SAFETY GUMBOOT (PU)


S5 CI SRC

- Anatomical shaped footbed provides arch support and additional material around the ankle gives extra protection.
- Hydrolysis protection and anti-UV additives for hardwearing and durability.
- Excellent slip resistant sole, SRC slip resistant classification.
- Sole resistant to solvents, mild, acids, alkalis, some chemicals, oils and fats.
- Removable & Antibacterial insole.
- Lasting upto 3 to 4 times longer than traditional PVC and rubber boots.
- Waterproof PU Outer.
- Easy cleaning sole.
- Superior cut, split and crack resistant sole

REF.	DESCRIPTION	SIZE
24205-GRN	Green Safety Gumboot	38-48



NEW



WHITE SAFETY GUMBOOT (PU)

S5 CI SRC

- Anatomical shaped footbed provides arch support and additional material around the ankle gives extra protection.
- Hydrolysis protection and anti-UV additives for hardwearing and durability.
- Excellent slip resistant sole, SRC slip resistant classification.
- Sole resistant to solvents, mild, acids, alkalis, some chemicals, oils and fats.
- Removable & Antibacterial insole.
- Lasting upto 3 to 4 times longer than traditional PVC and rubber boots.
- Waterproof PU Outer
- Easy cleaning sole.
- Superior cut, split and crack resistant sole

REF.	DESCRIPTION	SIZE
24210-WTE	White Safety Gumboot	38-48



NEW



GREY SAFETY GUMBOOT (PVC)

- Waterproof PVC outer
- COMFORTcushion® Impact Absorption System with PORON1 protects the heel and ball of the foot.
- Unique NANOLite® foot bed with a gently raised surface to reduce fatigue
- NATUREform® safety steel toe cap protection with a wide profile. STEELflex® steel midsole penetration protection.
- Patented METprotect® metatarsal protection offered by reinforced raised PVC across the impact strike zone
- Electrical Hazard Resistant
- Heavy duty PVC Nitrile sole offering deep tread for greater stability and grip on uneven surfaces.
- Excellent slip resistant sole; SRC slip resistant classification

REF.	DESCRIPTION	SIZE
22205-GRY	Grey Safety Gumboot	38-48



NEW



SAFETY SHOES FOR WOMEN. MADE WITH THE LADIES' FIT IN MIND.

The most important thing about women's safety shoes is the lady who wears them. With this in mind, we have designed Cocoon Evo, a line of women's work shoes, built according to their foot shape, style preferences and safety needs. Take your walking experience further and benefit from an extended lifespan. Be fully aware of how long Cocoon Evo shoes offer you the safety you deserve with their wear off indicators, a unique feature in their class. Providing improved comfort, great safety performances, electrostatic discharge (ESD) protection, lightweight, breathability as well as a modern design, Cocoon Evo safety shoes adapt to a lady's needs. There are many pairs of safety shoes on the market. Make sure to choose the right one.

COCOON EVO – A LADY'S BEST FRIEND

To rationalize the use of their personal protective equipment (PPE), many companies equip women with men's shoes in small sizes, causing them discomfort, as the design is not adapted to their foot shape. Putting ourselves in a lady's shoes and deeply understanding the unique challenges faced in different industries, we have created Cocoon Evo to help bring safety, comfort and style to ladies' feet.

DURABILITY AND STYLE

Stop wasting money on replacing protective shoes too often. Take your walking experience further and benefit from an extended lifespan.

The wear-off indicators let you know how long you can benefit from your shoes' full performance and when it's time to replace them with new ones.

Inspired by current fashion trends, Cocoon Evo is a fine combination of modernity and traditional shoe-making know-how, born from Cocoon Evo's deep consideration for women's needs.



COMFORT AND PRODUCTIVITY

With a flexible thermoplastic polyurethane (TPU) cemented outsole and a lightweight EVA midsole, Cocoon Evo safety shoes help ensure enhanced comfort. Each Cocoon Evo shoe weighs only 577 grams. The quality leather and mesh combination helps guarantee increased breathability and comfort, enabling moisture to be absorbed by the shoe's lining and evaporate. Thus, Cocoon Evo footwear provides dryness and comfort, the great combination to help keep women focused on the job. Tying shoelaces is time-consuming. With a textile loop and a fast lacing system, Cocoon Evo shoes provide a great fit.

PROTECTION AND STABILITY

Created to offer enhanced protection, resistance, stability, and shock absorption, Cocoon Evo shoes satisfy women's safety needs on the job. The stability zone inserted in the outsole controls the foot's position, maximising

the contact with the floor and increasing overall balance.

The grip zone and the liquid evacuation areas offer enhanced anti-slip resistance in most work environments, repelling any liquids or grease that, otherwise, might adhere to the outsole. Be even safer with Cocoon Evo's electrostatic discharge (ESD) protection to help avoid the dangerous risk of spark ignition.

THE FEATURES THAT MAKE THE DIFFERENCE



- Thermoplastic polyurethane (TPU) lacing part with logo – a new solution for tightening with elastic laces (regular ones available)
- Overcap made from microfibre with rubberized coat; the shape is highlighted with a heat-printed reflective line
- TPU heel counter supports stability in the heel area and is applied with a reflective textile loop for the shoes to better slip on / off
- Lace fix feature which helps fix extra lace knot stick on one place and not fly around when walking
- TPU lacing part for a better fit (Shell S3 / Shell Mid S3)
- Reflective webbing and graphic details for high visibility

All images shown are for illustration purpose only. Actual product may vary.

**BEYOND COMPLIANCE,
ABOVE YOUR EXPECTATIONS.**

Tests have shown Cocoon Evo shoes perform beyond certification levels, providing ladies with safety and comfort that exceed their requirements.



MORE PROTECTION

- **34%** more impact resistance than the standard requirements. Cocoon Evo provides an impact resistance amounting to 18.75 mm, compared to the required level of ≥ 14 mm.
- **31%** more slip resistance (flat position) than the SRA³ requirements. Cocoon Evo recorded a value of 0.42, up against the required level of ≥ 0.32 .
- **68%** more slip resistance (heel area) than the SRA requirements. Cocoon Evo recorded a result of 0.47, up against the required level of ≥ 0.28 .

MORE DURABLE LINERS

- **467%** more tear strength compared to the standard requirements. Coral, Coral Mid, Shell, Shell Mid models recorded a value of 87 N, exceeding the standard requirement of ≥ 15 N.
- **280%** more tear strength against the standard requirements. Stretch model recorded a result of 57 N, exceeding the standard requirement of ≥ 15 N.
- **1,880%** more water permeability than the standard requirements. Coral, Coral Mid, Shell, Shell Mid have a water permeability index of 39.6 mg/ (cm².h), exceeding the required level of ≥ 2 mg/ (cm².h).
- **1,225%** more water permeability compared to the standard requirements. The Stretch model has a water permeability index of 27.1 mg/ (cm².h), exceeding the required level of ≥ 2 mg/ (cm².h).

MORE BREATHABLE UPPERS

- **1,916%** more water permeability than the standard requirements. Coral and Coral Mid recorded an average value of 16.13 mg/(cm².h), exceeding the level of ≥ 0.8 mg/ (cm².h), required by the standard.

- **663%** more water permeability than the standard requirements. Shell and Shell Mid have an average value of 6.1 mg/(cm².h), up against the level of ≥ 0.8 mg/cm².h), required by the standard.
- **1,788%** more water permeability. Stretch model recorded a value of 15.1 mg/ (cm².h), up against the level of ≥ 0.8 mg/cm².h), required by the standard.
- **805%** more water vapor permeability and absorption. Coral and Coral Mid recorded a water coefficient of 135.73 mg/cm², exceeding the standard requirement of ≥ 15 mg/cm².
- **296%** more water vapor permeability and absorption. Shell and Shell Mid recorded a water coefficient of 59.35 mg/cm², up against the standard requirement of ≥ 15 mg/cm².
- **717%** more water vapor permeability and absorption. Stretch recorded a water coefficient of 122.6 mg/cm², exceeding the standard requirement of ≥ 15 mg/cm².

ESD PROTECTION – AT YOUR FEET

Electrostatic discharges (ESD) can cause harmful effects in industrial environment, including explosions

in gas, fuel vapor and coal dust, as well as a failure of solid-state electronics components such as integrated circuits. The components can suffer permanent damage when exposed to high voltages.

When you move, friction always causes an electrostatic charge in your body.

Shoes and clothing that are not conductive enough can increase this charge. ESD protective shoes are crucial in situations involving danger of explosion, dissipating charges, thus securing your products and production process.

Five styles of the range have been designed to comply with the EN 61340-5-1:2016 ESD standard through a special ESD anti-static treatment applied to the sole and insole lining. The insoles are certified for UK CI.



COCOON EVO



CORAL

S1P HI CI SRC ESD



- 100% non-metallic toe cap
- Low-cut style
- Suede leather upper combined with mesh textile
- 3D mesh with foam lining
- Textile anti-perforation interlayer
- EVA/TPU sole
- HI and CI markings: resistance to inimical environments
- heat insulation and cold insulation of the sole complex
- ESD marking
- ESD (EN 61340:5-1:2016) S1P HI CI SRC ESD



REF.	DESCRIPTION	SIZE
6551612	Coral	35-42



CORAL MID

S1P HI CI SRC ESD

- 100% non-metallic toe cap
- Low-cut style
- Suede leather upper combined with mesh textile
- 3D mesh with foam lining
- Textile anti-perforation interlayer
- EVA/TPU sole
- HI and CI markings: resistance to inimical environments
- heat insulation and cold insulation of the sole complex
- ESD marking
- ESD (EN 61340:5-1:2016) S1P HI CI SRC ESD



REF.	DESCRIPTION	SIZE
6551613	Coral Mid	35-42



STRETCH

S3 HI CI SRC ESD



- 100% non-metallic toe cap
- Low-cut style
- Textile upper combined with soft and elastic sock insert
- 3D mesh with foam lining
- Textile anti-perforation interlayer
- EVA/TPU sole
- HI and CI markings: resistance to inimical environments
- heat insulation and cold insulation of the sole complex
- ESD marking
- ESD (EN 61340:5-1:2016) S3 HI CI SRC ESD



REF.	DESCRIPTION	SIZE
6551616	Stretch	35-42





SILVER

S1P HI CI SRC ESD

NEW

- 100% non-metallic toecap
- Low-cut style
- Suede leather upper combined with mesh textile
- 3D mesh with foam lining
- Textile anti-perforation interlayer
- EVA/TPU sole
- HI and CI markings: resistance to inimical environments
 - heat insulation and cold insulation of the sole complex
- ESD marking
- ESD (EN 61340:5-1:2016) S1P HI CI SRC ESD
- S3 option available in 2025



REF.	DESCRIPTION	SIZE
6552001	Silver	35-42



SILVER MID

S1P HI CI SRC ESD

NEW

- 100% non-metallic toecap
- Mid-cut style
- Suede leather upper combined with mesh textile
- 3D mesh with foam lining
- Textile anti-perforation interlayer
- EVA/TPU sole
- HI and CI markings: resistance to inimical environments
 - heat insulation and cold insulation of the sole complex
- ESD marking
- ESD (EN 61340:5-1:2016) S1P HI CI SRC ESD
- S3 option available in 2025



REF.	DESCRIPTION	SIZE
6552002	Silver Mid	35-42



SHARK

S1P HI CI SRC

NEW

- 100% non-metallic toecap
- Low-cut style
- Textile upper
- 3D mesh with foam lining
- Textile anti-perforation interlayer
- EVA/TPU sole
- HI and CI markings: resistance to inimical environments
 - heat insulation and cold insulation of the sole complex



REF.	DESCRIPTION	SIZE
6552003	Shark	35-42



COCOON EVO



SHELL MID FLS

S3 HI CI SRC ESD

NEW


- 100% non-metallic toe cap
- Fast lacing system
- Mid-cut style
- Nubuck leather upper
- 3D mesh with foam lining
- Textile anti-perforation interlayer
- EVA/TPU sole
- HI and CI markings: resistance to inimical environments - heat insulation and cold insulation of the sole complex
- ESD marking
- ESD (EN 61340:5-1:2016) S3 HI CI SRC ESD



REF.	DESCRIPTION	SIZE
6552004	Shell Mid FLS	35-42



INNOVATION LIVES IN THE DETAILS



All images shown are for illustration purpose only. Actual product may vary.



WEAR-OFF INDICATORS

The patent-pending wear-off indicators tell you when it's time to replace your shoes for extra protection.



ORTHOLITE® MODULAR INSOLE FITTING SYSTEM

Modifies the volume inside the shoe in three steps and adapts to one's foot for a perfect fit.



EXTERNAL HEEL COUNTER

The external heel counter provides even more stability and comfort.



ESD PROTECTION

Electrostatic discharge (ESD) protection for the entire outsole.



BREATHABLE MATERIALS

TPU film makes the shoes stronger, more flexible and resistant to wear and tear.

A LIGHTER, MORE COMFORTABLE WALKING EXPERIENCE

- Enhanced flexibility
- Good slip resistance
- EVA midsole
- Lighter toe cap
- Antibacterial insock
- Ergonomic design
- Electrostatic Discharge (ESD) Protection
- 3D Mesh lining
- Quality materials
- DGUV Test mark
- Modern, low-cut and mid-cut styles
- Wide size range: 35-49
- HRO
- FO
- Mondopoint

SPORTY, FLEXIBLE, LIGHTER, COMFORTABLE.

Our first-ever range influenced by the look and feel of sports shoes is here. We designed the Agile to live up to its name, meaning those who wear them can move more quickly and easily because of the comfortable, flexible and lighter design. Backed by a legacy of safety and care, we engineered this industrial safety footwear range with rebound qualities that give workers a bounce in their step knowing they are more protected. We know how important it is for workers to wear safe, yet comfortable footwear during long shifts to prevent foot fatigue. That's why we constructed these shoes differently. We built this range with an ergonomic design that mimics the foot's natural movement, so it feels like you're just wearing a sock.

The breathable stretched textile combined with knitted upper materials and 3D Mesh lining provides greater comfort.

For even more flexibility, we bonded the textile using hot-melt technology and thermoplastic polyurethane (TPU) film to reduce the amount of stitching. Additionally, Agile features a composite fibreglass toe cap to make the shoes even lighter while still delivering high impact protection.

The safety range also offers an external heel counter for enhance stability and support.

The Agile shoes are high quality, durable and you won't have to guess when it's time to replace them. The patent-pending wear-off indicators help identify when replacement is due. For optimised comfort, the range comes with five accessory insoles: two are certified according to DGUV testing and three (wide, standard and narrow) feature the OrthoLite® Modular Insole Fitting System that modifies the volume inside the shoe

in three steps and adapts to one's foot for a perfect fit. The breathable textile and knitted upper materials, TPU film, 3D Mesh lining, EVA midsoles, rubber outsoles, antibacterial insock, lighter toe cap, external heel counter and patent-pending wear-off indicators help keep workers protected and comfortable from heel to toe.

Select styles are equipped with electrostatic discharge (ESD) protection. Select styles also have an antibacterial insock as well as electrostatic discharge (ESD) protection workers can trust.

Built for safety. Designed for comfort. The Agile low- and mid-cut styles help keep workers protected from heel to toe.

Agile range is now sold under Oliver brand.

INDUSTRIES

Automotive



Logistics



Indoors Manufacturing



STARTER YELLOW
S1P SRC HRO

METAL FREE

- Lighter composite, fibreglass toe cap
- Low-cut style
- Flexible Nylon textile with microfibre upper
- 3D Mesh lining
- EVA midsole and rubber outsole
- Modular Insole Fitting System - three widths
- EN ISO 20345:2011 S1P SRC HRO
- Two DGUV 112-191 certified insoles



REF.	DESCRIPTION	SIZE
6250126	Starter Yellow	35-49



STARTER BLUE
S1P SRC HRO

METAL FREE

TOP SELLER

- Lighter composite, fibreglass toe cap
- Low-cut style
- Flexible Nylon textile combined with microfibre upper
- 3D Mesh lining
- EVA midsole and rubber outsole
- Modular Insole Fitting System - three widths
- EN ISO 20345:2011 S1P SRC HRO
- Two DGUV 112-191 certified insoles



REF.	DESCRIPTION	SIZE
6250127	Starter Blue	35-49



STARTER MID YELLOW
S1P SRC HRO

METAL FREE

- Lighter composite, fibreglass toe cap
- Mid-cut style
- Flexible Nylon textile combined with microfibre upper
- 3D Mesh lining
- EVA midsole and rubber outsole
- Modular Insole Fitting System - three widths
- EN ISO 20345:2011 S1P SRC HRO
- Two DGUV 112-191 certified insoles



REF.	DESCRIPTION	SIZE
6250128	Starter Mid Yellow	35-49



STARTER MID BLUE

S1P SRC HRO

METAL FREE

- Lighter composite, fibreglass toe cap
- Mid-cut style
- Flexible Nylon textile combined with microfibre upper
- 3D Mesh lining
- EVA midsole and rubber outsole
- Modular Insole Fitting System - three widths
- EN ISO 20345:2011 S1P SRC HRO
- Two DGVU 112-191 certified insocks



REF.	DESCRIPTION	SIZE
6250129	Starter Mid Blue	35-49



RUNNER BLUE

S3 SRC ESD HRO

METAL FREE

- Lighter composite, fibreglass toe cap
- Low-cut style
- Flexible Nylon textile with TPU film upper
- 3D Mesh lining
- EVA midsole and rubber outsole
- Modular Insole Fitting System - three widths
- EN 61340-5-1:2016 - ESD marking
- EN ISO 20345:2011 S3 SRC ESD HRO
- Two DGVU 112-191 certified insocks
- Premium antibacterial insock



REF.	DESCRIPTION	SIZE
6250123	Runner Blue	35-49



RUNNER MID BLUE

S3 SRC ESD HRO

METAL FREE

- Lighter composite, fibreglass toe cap
- Mid-cut style
- Flexible Nylon textile with TPU film upper
- 3D Mesh lining
- EVA midsole and rubber outsole
- Modular Insole Fitting System - three widths
- EN 61340-5-1:2016 - ESD marking
- EN ISO 20345:2011 S3 SRC ESD HRO
- Two DGVU 112-191 certified insocks
- Premium antibacterial insock



REF.	DESCRIPTION	SIZE
6250125	Runner Mid Blue	35-49





BLACK FLYKNIT SHOE S1P HRO SRC ESD

METAL FREE

NEW

- Breathable textile and knitted upper materials
- Composite toe cap
- HEELguard for added stability and impact protection
- Q-Flex® non metallic penetration protection insole
- 3D Mesh lining provides great breathability for all day freshness
- EVA midsole and rubber outsole
- Slip resistant sole, also resistant to mineral and organic oils and acids.
- EN ISO 20345:2011 S1P SRC HRO ESD



REF.	DESCRIPTION	SIZE
40805-BLK	Black Flyknit	35-49



BLACK JOGGER SHOE S3 HRO SRC ESD

METAL FREE

NEW

- Flexible textile and bonded thermoplastic polyurethane (TPU) film upper
- Composite toe cap
- HEELguard for added stability and impact protection
- Q-Flex® non metallic penetration protection insole
- 3D Mesh lining provides great breathability for all day freshness
- EVA midsole and rubber outsole
- Slip resistant sole, also resistant to mineral and organic oils and acids.
- EN ISO 20345:2011 S1P SRC HRO ESD



REF.	DESCRIPTION	SIZE
40815-BLK	Black Jogger	35-49



BLACK JOGGER ANKLE BOOT S3 HRO SRC ESD

METAL FREE

NEW

- Flexible textile and bonded thermoplastic polyurethane (TPU) film upper
- Composite toe cap
- HEELguard for added stability and impact protection
- Q-Flex® non metallic penetration protection insole
- 3D Mesh lining provides great breathability for all day freshness
- EVA midsole and rubber outsole
- Slip resistant sole, also resistant to mineral and organic oils and acids.
- EN ISO 20345:2011 S1P SRC HRO ESD



REF.	DESCRIPTION	SIZE
40825-BLK	Black Jogger Ankle Boot	35-49



AGILE



RUNNER MID BLUE FLS S3 SRC ESD HRO

NEW

- Lighter composite, fibreglass toe cap
- Fast lacing system
- Mid-cut style
- Flexible Nylon textile with TPU film upper
- 3D Mesh lining
- EVA midsole and rubber outsole
- Modular Insole Fitting System - three widths
- EN 61340-5-1:2016 - ESD marking
- EN ISO 20345:2011, S3 SRC ESD HRO
- Two DGUV 112-191 certified insocks
- Premium antibacterial insock



REF.	DESCRIPTION	SIZE
6552400	Runner Mid Blue FLS	35-49



SPRINTER YELLOW FLS S1P SRC ESD HRO

NEW

- Lighter composite, fibreglass toe cap
- Fast lacing system
- Low-cut style
- Flexible Nylon textile with TPU film upper
- 3D Mesh lining
- External heel counter
- EVA midsole and rubber outsole
- Modular Insole Fitting System - three widths
- EN 61340-5-1:2016 - ESD marking
- EN ISO 20345:2011, S1P SRC ESD HRO
- Two DGUV 112-191 certified insocks



REF.	DESCRIPTION	SIZE
6552401	Sprinter Yellow FLS	35-49



ALL-ROUND PERFORMANCE AT YOUR FEET

When it comes to safety, always settle for more. This is the motto of Otter, a world-renowned leader in safety innovation, respecting its German quality values and committing to taking them further. Otter combines the heritages of the German quality and expertise to produce premium-quality protective work shoes for workers in industries such as construction, chemicals and industrial maintenance, helping to ensure effective performance and high levels of safety.



INCREASED PROTECTION. ENHANCED STABILITY. IMPROVED COMFORT.

When it comes to safety, always settle for more. A world-renowned leader in safety innovation, Otter, respecting its German quality values and committing to taking them further. Otter Premium combines the heritages of the two brands, addressing workers in construction, manufacturing and many other industries who need premium-quality protective work shoes with effective performances.

Otter Premium footwear provides premium protection, stability and comfort. Benefit from their excellent slip and cut protection, high shock absorption, antistatic properties plus high- and low-temperature resistance and be fully aware when your shoes wear off with their unique indicators. Made of quality leather, with a premium textile lining and a modern design, Otter Premium footwear is a perfect fit for everyone, providing comfort for long time use.



*Otter Premium Guard -
SKU: 6551618*

A SHOE FOR EVERY FOOT

Combining Otter’s iconic, traditional design with quality materials and innovative functionalities, Otter Premium shoes are created to help meet your highest standards in terms of safety, durability and comfort, both indoors and outdoors.

INCREASED PROTECTION

In European countries, slips, trips and falls are the largest cause of accidents that result in more than three days of absence from work.¹ If you wear inappropriate shoes while on the job, you could experience such undesired events. Otter Premium’s high-quality nitrile-polyurethane (PU) outsoles provide enhanced slip and abrasion resistance, while the steel toe caps and anti-penetration inserts offer enhanced puncture protection against sharp objects. Created for both indoor and outdoor working environments, Otter Premium shoes are oil and petrol resistant, have antistatic properties and withstand temperatures from -18°C up to +300°C. Stop wasting money on replacing protective shoes too often. Benefit from a longer lifespan and be constantly aware of the protection performance of Otter Premium footwear. The wear-off indicators, a rare feature in its category, will notify you when it’s time to replace your shoes with new ones. The same range is also available with sympatex membrane that guarantees perfect waterproofing thanks to its hydrophilic structure, repels external water while allowing water vapor (perspiration) to escape.

ENHANCED STABILITY

When the work environment includes plenty of uneven surfaces, the right boot for the job is one that delivers stability. Without adequate safety shoes, you might experience foot and leg fatigue, pain and even injuries. A quality work boot shouldn’t hinder your mobility on the job, keeping you on your feet no matter the surface but also increasing your work performance. Otter Premium’s thermoplastic urethane (TPU) heel reinforcements provide excellent stability and high shock absorption, while the scuff caps, made of the same material, offer extra protection in hard environments. To achieve even more comfort and stability, you can opt for Otter Premium cushioning gel removable insoles that absorb shocks in the impact zone.

IMPROVED COMFORT

Employees who spend long hours on their feet need both comfort and safety. Meeting safety standards is essential, but comfort should also be high on the priority list, impacting employee attitude and performance. Made of quality leather and with a premium textile lining, Otter Premium provides comfort from morning till the end of your longest shifts. With a traditional design, Otter Premium safety shoes are a perfect fit for everyone – you can opt for the standard insole version, which is light and breathable, or choose the premium one, with additional gel inserts that increase shock absorption, slip resistance and comfort.



CUSTOMISE YOUR COMFORT

Created to suit workers specific needs, Otter Premium safety footwear comes with two insole options of choice. Benefit from great comfort with the light, breathable standard insole, made from high-quality open-cell polyurethane (PU). Get the next level of protection with the premium insole's additional hexagonal-shaped gel inserts, providing increased shock absorption, slip resistance and comfort.



Otter Premium Guard Splash -
SKU: 6552100

- INDUSTRIES**
- Construction
 - Chemical
 - Oil and Gas
 - Industrial maintenance
 - Manufacturing
 - Glass industry
 - Electrical industry
 - Energy and Solar industry
 - Automotive
 - Logistic and transportation
 - Special forces - Army & Police



GUARD

S3 HI HRO SRC ESD

- Extra wide metallic toe cap
- TPU overcap
- Low-cut style
- High quality full grain water resistant leather upper
- Black mesh lining with foam
- Stainless steel anti-perforation interlayer
- PU/Nitrile outsole
- Patented Wear off indicators
- HI marking: resistance to inimical environments
- heat insulation of the sole complex
- HRO marking: resistance to hot contact
- DGUV certified insocks and modular three width insocks



REF.	DESCRIPTION	SIZE
6551620	Guard	35-50



GUARD MID

S3 HI HRO SRC ESD



- Extra wide metallic toe cap
- TPU overcap
- Mid-cut style
- High quality full grain water resistant leather upper
- Black mesh lining with foam
- Stainless steel anti-perforation interlayer
- PU/Nitrile outsole
- Patented Wear off indicators
- HI marking: resistance to inimical environments
- heat insulation of the sole complex
- HRO marking: resistance to hot contact
- DGUV certified insocks and modular three width insocks



REF.	DESCRIPTION	SIZE
6551621	Guard Mid	35-50



GUARD ICE

S3 HI CI HRO SRC ESD



- Extra wide metallic toe cap
- TPU overcap
- High boot
- Quick release side zipper
- High quality full grain water resistant leather upper
- 3M™ Thinsulate™ lining for extra winter comfort
- Stainless steel anti-perforation interlayer
- PU/Nitrile outsole
- Patented Wear off indicators
- HI and CI markings: resistance to inimical environments
- heat insulation and cold insulation of the sole complex
- HRO marking: resistance to hot contact
- DGUV certified insocks and modular three width insocks



REF.	DESCRIPTION	SIZE
6551622	Guard Ice	35-50



GUARD WR

S3 WR HI CI HRO SRC

NEW

- Extra wide metallic toe cap
- TPU overcap
- Low-cut style
- High quality full grain water resistant leather upper
- Black mesh lining with foam
- Stainless steel anti-perforation interlayer
- PU/Nitrile outsole
- Patented Wear off indicators
- HI marking: resistance to inimical environments
- heat insulation of the sole complex
- Sympatex® membrane for waterproof
- HRO marking: resistance to hot contact
- DGUV certified insocks and modular three width insocks



REF.	DESCRIPTION	SIZE
6551704	Guard WR	35-50

GUARD MID WR

S3 WR HI CI HRO SRC/ S7 HI CI HRO LG SC SR ESD

NEW

- Extra wide metallic toe cap
- TPU overcap
- Mid-cut style
- High quality full grain water resistant leather upper
- Black mesh lining with foam
- Stainless steel anti-perforation interlayer
- PU/Nitrile outsole
- Patented Wear off indicators
- HI marking: resistance to inimical environments
- heat insulation of the sole complex
- Sympatex® membrane for waterproof
- HRO marking: resistance to hot contact
- DGUV certified insocks and modular three width insocks



REF.	DESCRIPTION	SIZE
6551703	Guard Mid WR	35-50

GUARD SPLASH WR

S3 WR HI CI HRO SRC ESD

NEW

- Extra wide metallic toe cap
- TPU overcap
- High boot
- High quality full grain water resistant leather upper
- Sympatex® membrane for waterproof
- Stainless steel anti-perforation interlayer
- PU/Nitrile outsole
- Patented Wear off indicators
- HI and CI markings: resistance to inimical environments
- heat insulation and cold insulation of the sole complex
- HRO marking: resistance to hot contact
- DGUV certified insocks and modular three width insocks



REF.	DESCRIPTION	SIZE
6552100	Guard Splash WR	36-48

SHIELD

S3 CI WG HI WRU HRO SRC



- Extra wide metallic toe cap
- Welding boot
- High-quality full-grain leather upper
- Velcro for quick fastening
- Mesh lining with foam
- Stainless steel anti-perforation interlayer
- PU/Nitrile outsole
- Patented Wear off indicators
- A marking: electrical properties - antistatic footwear
- E, CI and HI markings: resistance to inimical environments - energy absorption of the seat area, cold insulation and heat insulation of the sole complex
- HRO marking: resistance to hot contact
- EN ISO 20349-2:2020 S3 A CI E WG HI HRO SRC, as per welding standards
- EN ISO 20345:2022 - S3 HI-1 CI HRO SRC
- EN ISO 20349-2+A1:2020 - WG



REF.	DESCRIPTION	SIZE
6551623	Shield	35-50





ADAPT. STEP. FLEX. RELAX.

The human foot is created for mobility. The Otter Flex range has latest technological innovations and renowned German quality with a modern design to provide superior protection and an easy, natural flexing motion.

Wearing rigid, poorly-fitting safety shoes during long work hours can cause significant discomfort and affect employee performance and morale. An industry leader in safety innovation, Otter, a German safety shoe brand dating back to 1887, to bring foot protection to the next level.

Enjoy exceptional safety, comfort and fit with Otter Flex's incorporated technological inventions. The uniquely-designed soft-heel inserts provide excellent shock absorption, reducing fatigue and relieving the stress on your joints. The patented Flex Fit lacing system respects individual foot anatomy and natural movement patterns while securing ankle stability and a strong tide.

The patented Otter MFUS metatarsal bandages ensure a personalised fit and foot support while maintaining flexibility.

For an even more comfortable walking experience, the orthopedic insoles further enhance comfort, providing more cushioning and reducing foot fatigue. Made from a combination of polyurethane (PU) and thermoplastic polyurethane (TPU), the outsoles ensure great slip and abrasion resistance, the high-quality steel plate insoles offer protection against perforation risks, while the composite and fibreglass toe cap delivers high impact protection.

Rely on your good-quality, durable shoes and quickly notice when it's time to replace them due to their unique wear-off indicators. Created for both indoor and outdoor rough work conditions, Otter flex shoes offer you the protection you need, the comfort you want and the quality you deserve. All developed through technological innovations.



INDUSTRIES

- Logistics and transportation
- Light industry
- Industrial maintenance
- General manufacturing
- Automotive
- Construction

KEEP IN STEP WITH TECHNOLOGY

Otter Flex has been developed to fully deliver on your safety and comfort needs with patented technologies that can improve your walking experience.

THE UNIQUE DESIGN OF THE HEEL INSERTS

The patented heel inserts, made of soft PU foam, provide enhanced shock absorption, improve comfort and help reduce foot fatigue.



THE OTTER MFUS

The metatarsal bandages wrap around the feet to ensure foot support and a personalised fit while maintaining flexibility.




THE FLEX FIT LACING SYSTEM

The innovative lacing system secures the foot firmly while respecting individual foot anatomy and enabling a natural movement.



Discover a New Walking Experience

- Good slip and abrasion resistance
- Enhanced shock absorption
- Super flexibility
- Great stability and adjustability
- Personalised fit and foot support
- Comfort for long term use
- Toe impact protection
- Puncture resistance
- Antistatic protection
- Wear-off indicators
- Good quality materials
- Enhanced durability
- Modern design
- Wide size range: 35 - 49



STANDARDS

- EN 61340-5-1:2016 - ESD marking
- EN ISO 20345:2011 S3 SRC ESD

OTTER FLEX



BREATHER MFUS

S2 SRC ESD



- Patented soft heel insert
- Patented Flex Fit lacing system
- Patented Otter MFUS metatarsal bandages
- Low-cut style
- Durable textile fabric upper
- TPU coat
- Durable, breathable lining
- PU/TPU outsole
- Wear off indicators
- DGUV insocks and modular 3 width insocks



REF.	DESCRIPTION	SIZE
6551627	Breather Mfus	35-49



BREATHER MID

S3 SRC ESD

- Patented soft heel insert
- Patented Flex Fit lacing system
- Mid-cut style
- Durable textile fabric upper
- TPU coat
- Durable, breathable lining
- PU/TPU outsole
- Wear off indicators
- DGUV insocks and modular 3 width insocks



REF.	DESCRIPTION	SIZE
6551626	Breather Mid	35-49



EXPANDER

S1 SRC ESD



- Composite - fibreglass - toe cap
- Low-cut sandal
- High-quality nubuck leather and durable textile fabric upper
- Durable, breathable lining
- PU/TPU outsole
- Wear off indicators
- EN 61340-5-1:2016 - ESD marking
- EN ISO 20345:2011 S1 SRC ESD



REF.	DESCRIPTION	SIZE
6551628	Expander	35-49



BREATHER MFUS
S1P HI CI SRC ESD

NEW

- Patented soft heel insert
- Patented Flex Fit lacing system
- Patented Otter MFUS metatarsal bandages
- Low-cut style
- Durable textile fabric upper
- TPU coat
- Durable, breathable lining
- PU/TPU outsole
- Wear off indicators
- EN 61340-5-1:2016 - ESD marking
- EN ISO 20345:2011 S1P HI CI SRC ESD



REF.	DESCRIPTION	SIZE
6270626	Breather MFUS S1P	35-49



BREATHER MID
S1P HI CI SRC ESD

NEW

- Patented soft heel insert
- Patented Flex Fit lacing system
- Mid-cut style
- Durable textile fabric upper
- TPU coat
- Durable, breathable lining
- PU/TPU outsole
- Wear off indicators
- EN 61340-5-1:2016 - ESD marking
- EN ISO 20345:2011 S1P HI CI SRC ESD



REF.	DESCRIPTION	SIZE
6270627	Breather Mid S1P	35-49



FOOT SUPPORT, STABILITY CONTROL AND GRIP

Thanks to its PPE expertise, the Honeywell R&D team has developed an exclusive dual-density TPU sole that enhances shock absorption, flexibility and slip resistance on all types of surfaces. This technology ensures excellent comfort under all circumstances to even the most demanding customers.

ATHLETIC PU/TPU OUTSOLE

Self-cleaning sole

- Cleated design enabling fluid evacuation.

Stability

- Rigid inserts (70 SH) to optimise the physical and chemical properties of TPU.
- Anti-torsion effect and walking stability.

Absorption

of shocks and vibration.



Flexibility

- The flexibility line respects the biomechanics of the foot, makes working in a flexed position easier and help to reduce fatigue.

Grip

- Large softer TPU surface (SH 64) in direct contact with the ground.
- Enhanced grip and shock absorption.
- Increased resistance to abrasion.

ATHLETIC



ASCENDER EVO

S3S CI FO SR

METAL FREE

TOP SELLER

- Water resistant leather and textile upper
- Poromax® 3D lining: breathable, absorbent, fast drying
- Reinforcement over toe cap
- Speed lacing system and lace pocket
- Padded tongue with watertight bellows
- Coolmax® insole for an optimal perspiration absorption
- Injected PU/TPU outsole to optimise shock absorption, flexibility and slip resistance on all surfaces
- DGUV insocks and Extra 3 width insocks
- EN ISO 20345:2022



REF.	DESCRIPTION	SIZE
6243850	Ascender	37-47

ASCENDER MID

S3S CI FO SR

METAL FREE

TOP SELLER

- Water resistant leather and textile upper
- Poromax® 3D lining: breathable, absorbent, fast drying
- Reinforcement over toe cap
- Speed lacing system and lace pocket
- Padded tongue with watertight bellows
- Coolmax® insole for an optimal perspiration absorption
- Injected PU/TPU outsole to optimise shock absorption, flexibility and slip resistance on all surfaces
- DGUV insocks and Extra 3 width insocks
- EN ISO 20345:2022



REF.	DESCRIPTION	SIZE
6243851	Ascender Mid	37-47

FRESCO EVO

S1PS CI FO SR

METAL FREE


- Suede leather and mesh upper
- Poromax® 3D lining: breathable, absorbent, fast drying
- Reinforcement over toe cap
- Specific design to optimise breathability and keep feet dry
- Coolmax® insole for an optimal perspiration absorption
- Injected PU/TPU outsole to optimise shock absorption, flexibility and slip resistance on all surfaces
- EN ISO 20345:2022
- Also available in Mid cut



REF.	DESCRIPTION	SIZE
6243854	Fresco	37-47

MORE THAN SAFETY


MTS offers a wide range of safety shoes and boots that meet the toughest demands and requirements of virtually every trade like construction, food production, metal, electronics, forestry and many others.




DECIPHERING THE HAZARD PROTECTION YOUR SHOE PROVIDES

MTS takes responsibility for every shoe it produces, and proves it: a marking on each product shows compliance with European safety, comfort and strength standards defined by law and monitored by Ministry of Labour-approved organisation (CTC) reporting to the Brussels authorities pursuant to European Directive DIR 89/686/EEC. This pledge of compliance constitutes a strong assurance that MTS products meet user safety criteria.

1. Label stitched to the tongue



2. Markings on sole



SPORTY RANGE

ALL DAY PROTECTION MEETS ALL DAY COMFORT.

To stay in line with current trends, the French company decided to produce a sporty line of safety footwear designed exclusively by MTS. Taking inspiration from the modern look and comfortable feel of sports shoes, the MTS Sporty Range models combine aesthetics research, ergonomics and technological efficiency. As a result: a high-performance look and hightech materials, inspired by high-level sports. Whether you're on the job or off-duty, our shoes provide a versatile and fashionable option.

ADVANTAGES OF THE RANGE:

- Dual density injected PU outsole, ultralight and HI-CI
- Composite toe cap protects against impact and compression
- Flexible and lightweight non-metallic safety shoe
- Casual sporty design
- TPU heel counter for support and protection
- Slip resistance conforms to SR standard
- Resistance to fuel oil
- ESD marking
- Accessory : Two types of insoles certified according to DGUV 112- 191: covers the user of orthopedic insoles in the workplace. When fitted with orthopedic insoles, has been tested and certified to continue to meet the requirements of the standard
- Accessory: Modular three width Insock Fitting System: standard, wide or narrow – increases the comfort from wearing the shoe
- Also available in XXL (extra width variant)

SUITABLE FOR OUTDOOR USE

- Logistics
- Warehouses
- Automotive
- Service industry



Ultra light Dual density injected PU outsole



PU foam, anatomical insole



TPU heel contour for more stability and extra comfort.

Ventilated lining

Composite mid-sole



Composite toe cap

SPORTY RANGE




MTS FIT

S3S FO HI CI SR ESD

NEW

REF: 4585103

- Composite toe cap protects against impact and compression
- Flexible and lightweight non metallic safety shoe, casual sporty design
- TPU heel counter for support and protection
- Dual density PU outsole, oil resistant FO, HI and CI insulated
- ESD marking
- Accessory : Two types of insoles certified according to DGUV 112- 191 : covers the user of orthopedic insoles in the workplace
- Accessory : Modular three width Insock Fitting System: standard, wide or narrow – increases the comfort from wearing the shoe



REF.	DESCRIPTION	SIZE
6270616	MTS Fit	35-50


MTS FAST

S3S FO HI CI SR ESD

NEW

REF: 4585003

- Composite toe cap protects against impact and compression
- Flexible and lightweight non metallic safety shoe, casual sporty design
- TPU heel counter for support and protection
- Dual density PU outsole, oil resistant FO, HI and CI insulated
- ESD marking
- Accessory : Two types of insoles certified according to DGUV 112- 191 : covers the user of orthopedic insoles in the workplace
- Accessory : Modular three width Insock Fitting System: standard, wide or narrow – increases the comfort from wearing the shoe



REF.	DESCRIPTION	SIZE
6270617	MTS Fast	35-50


MTS STORE / STORE XXL

S1PS FO HI CI SR ESD

NEW

REF: 4585203/ 4585803

- Composite toe cap protects against impact and compression
- Flexible and lightweight non metallic safety shoe, casual sporty design
- TPU heel counter for support and protection
- Dual density PU outsole, oil resistant FO, HI and CI insulated
- ESD marking
- Accessory : Two types of insoles certified according to DGUV 112-191 : covers the user of orthopedic insoles in the workplace
- Accessory : Modular three width Insock Fitting System: standard, wide or narrow – increases the comfort from wearing
- Also available in XXL (extra width variant)



REF.	DESCRIPTION	SIZE
6270618 / 6270624	MTS Store / Store XXL	35-50

SPORTY RANGE



MTS STEP/ STEP XXL

S1PS FO HI CI SR ESD

REF: 4585403/ 4585903

- Composite toe cap protects against impact and compression
- Flexible and lightweight non metallic safety shoe, casual sporty design
- TPU heel counter for support and protection
- Dual density PU outsole, oil resistant FO, HI and CI insulated
- ESD marking
- Accessory : Two types of insoles certified according to DGUV 112-191 : covers the user of orthopedic insoles in the workplace
- Accessory : Modular three width Insock Fitting System: standard, wide or narrow – increases the comfort from wearing the shoe
- Also available in XXL (extra width variant)

NEW



REF.	DESCRIPTION	SIZE
6270620 / 6270625	MTS Step / Step XXL	35-50


MTS TRACK / TRACK XXL

S3S FO HI CI SR ESD and O6 FO HI CI SR ESD*

REF: 4585503/ 4585703

- Composite toe cap protects against impact and compression
- Flexible and lightweight non metallic safety shoe, casual sporty design
- TPU heel counter for support and protection
- Dual density PU outsole, oil resistant FO, HI and CI insulated
- ESD marking
- Accessory : Two types of insoles certified according to DGUV 112- 191 : covers the user of orthopedic insoles in the workplace
- Accessory : Modular three width Insock Fitting System: standard, wide or narrow – increases the comfort from wearing the shoe
- Also available in XXL (extra width variant)
- Occupational shoe option without toe cap also available with O6 certification as per EN ISO 20347:2022 (SKU 6270630 for standard and 6270632 for XXL version)

NEW



REF.	DESCRIPTION	SIZE
6270621 / 6270623	MTS Track / Track XXL	35-50


MTS TRAIL / TRAIL XXL

S3S FO HI CI SR ESD and O6 FO HI CI SR ESD*

REF: 4585303/ 4585603

- Composite toe cap protects against impact and compression
- Flexible and lightweight non metallic safety shoe, casual sporty design
- TPU heel counter for support and protection
- Dual density PU outsole, oil resistant FO, HI and CI insulated
- ESD marking
- Accessory : Two types of insoles certified according to DGUV 112- 191 : covers the user of orthopedic insoles in the workplace
- Accessory : Modular three width Insock Fitting System: standard, wide or narrow – increases the comfort from wearing the shoe
- Also available in XXL (extra width variant)
- Occupational shoe option without toe cap also available with O6 certification as per EN ISO 20347:2022. SKU 6270629 for standard and 6270631 for XXL version

NEW



REF.	DESCRIPTION	SIZE
6270619 / 6270622	MTS Trail / Trail XXL	35-50

* still under certification

A LEAP FORWARD IN FLEXIBILITY AND LIGHTNESS

This range integrates the three innovations of the Soft System®: the cushion “Air Impulse” shock absorber at the heel, the “Flex Zone” to smoothen the bending at the front of the foot and the “Free Walk” concept for an remarkable lightness. You guessed it; these technological shoes are created for the professionals who walk intensely in “clean” areas, indoor and outdoor. The innovative shape was designed in collaboration with a chiropodist to guarantee an optimum fit, for unprecedented levels of comfort.

ADVANTAGES OF THE RANGE:

- Dual-density injected PU outsole, ultralight and HI-CI
- Slip resistance capacity SRC, total grip
- Very breathable and ultralight materials (Microfibers, 3D mesh)
- SOFT SYSTEM® technology
- Metal-free: made with no metal parts
- Lightweight and flexible: 100% composite
- Ergonomic shape for a great comfort
- Innovative look, fun and sporty
- Three models only for women
- Ultralight: 425g per shoe

SUITABLE FOR INDOOR/ OUTDOOR USE

- Logistics
- Warehouses
- Stores and Service companies.



Ultra-light PU double density outsole Soft System



PU foam “Soft Touch” anatomical insole

A flexion of the foot soft and comfortable, perfect for intensive walking.



An exceptional lightness of 425 g

The cushioning and protection against shocks with air cushion

Ventilated lining



Composite mid-sole

Composite toe cap

M-SOFT

CURTIS ESD

S3 HI CI SRC
REF.: 45810

- Water resistant suede leather and PU microfibre upper
- Air System® lining
- Padded bellows tongue in Cordura® tongue
- Composite 200 joules Light System® toe cap
- Composite Flex System® midsole
- Thermoformed PU foam, anatomic, antibacterial and antistatic insole
- Modular three width insock system system
- PU 2D SOFT SYSTEM® sole
- EN ISO 20345:2011 SRC / DGUV 112-191



REF.	DESCRIPTION	SIZE
6270688	Curtis ESD	35-48



VICKERS ESD

S3 HI CI SRC
REF.: 45811

- Water resistant suede leather and PU microfibre upper
- Air System® lining
- Padded bellows tongue in Cordura® tongue
- Padded nubuck leather ankle support
- Composite 200 joules Light System® toe cap
- Composite Flex System® midsole
- Thermoformed PU foam, anatomic, antibacterial and antistatic insole
- Modular three width insock system system
- PU 2D SOFT SYSTEM® sole
- EN ISO 20345:2011 SRC / DGUV 112-191



REF.	DESCRIPTION	SIZE
6270687	Vickers ESD	35-48



M'SOFT™ SWIFT

S3 HI CI SRC
REF.: 45841

- Ondura® material water-repellent, water resistant and breathable and microfibre upper
- Full Artico® slipper feeling lining
- Bellows padded tongue
- Composite 200 joules Light System® toe cap
- Composite Flex System® midsole
- Thermoformed PU foam, anatomic, antibacterial and antistatic insole
- Modular three width insock system system
- PU 2D SOFT SYSTEM® sole
- EN ISO 20345:2011 SRC



REF.	DESCRIPTION	SIZE
1089103S	M'soft™ Swift	35-48



M-SOFT



M'SOFT™ ELFIE

S3 HI CI SRC
REF.: 45843

- Specially designed for women feet
- Ondura® material water-repellent, water resistant and breathable and microfibre upper
- Full On Steam® slipper feeling lining
- Bellows padded tongue
- Composite 200 joules Light System® toe cap
- Composite Flex System® midsole
- Thermoformed PU foam, anatomic, antibacterial and antistatic insole
- Modular three width insock system system
- PU 2D SOFT SYSTEM® sole
- EN ISO 20345:2011 SRC



REF.	DESCRIPTION	SIZE
6270640	M'Soft™ Elfie	35-42



AURELIE

S3 HI CI SRC
REF.: 46805

- Specially designed for women feet
- Water resistant suede leather
- Air System® lining
- Cordura® bellows padded tongue
- Composite 200 joules Light System® toe cap
- Composite Flex System® midsole
- Thermoformed PU foam, anatomic, antibacterial and antistatic insole
- Modular three width insock system system
- PU 2D SOFT SYSTEM® sole
- EN ISO 20345:2011 SRC



REF.	DESCRIPTION	SIZE
1058803S	Aurelie	35-42



LUCIE

S3 HI CI SRC
REF.: 46807

- Specially designed for women feet
- Water resistant suede leather and Cordura® upper
- Air System® lining
- Cordura® bellows padded tongue
- Padded Cordura® ankle support
- Composite 200 joules Light System® toe cap
- Composite Flex System® midsole
- Thermoformed PU foam, anatomic, antibacterial and antistatic insole
- PU 2D SOFT SYSTEM® sole
- EN ISO 20345:2011 SRC



REF.	DESCRIPTION	SIZE
1048303S	Lucie	35-42



M-SOFT

JET ESD

S1 HI CI SRC

REF.: 45834

- Suede leather and perforated microfibre upper
- Air System® lining
- Composite 200 joules Light System® toe cap
- ESD / Thermoformed foam with antibacterial and ESD antistatic treatments insole
- PU 2D SOFT SYSTEM® sole
- EN ISO 20345:2011 SRC / EN 61340-4-3 Class 1



REF.	DESCRIPTION	SIZE
6270661	Jet ESD	35-48



AIRSPPEED ESD

S1 HI SRC

REF.: 45827

- Perforated microfibre suede leather upper
- Air System® lining
- Padded tongue
- Composite 200 joules Light System® toe cap
- ESD / Thermoformed foam with antibacterial and ESD antistatic treatments insole
- PU 2D SOFT SYSTEM® sole
- EN ISO 20345:2011 SRC / EN 61340-4-3 Class 1



REF.	DESCRIPTION	SIZE
1097901S	Airspeed ESD	35-48



MUSTANG

S1P HI CI SRC

REF.: 45814

- Suede leather and breathable upper
- AIR SYSTEM® red and black colours lining
- Perforated microfibre tongue
- Composite 200 joules Light System® toe cap
- Thermoformed PU foam, anatomic, antibacterial and antistatic
- PU 2D SOFT SYSTEM® outsole
- EN ISO 20345:2011 SRC / DGUV 112-191



REF.	DESCRIPTION	SIZE
6270677	Mustang Flex S1P	35-48



FULL WHITE ON THE OUTSIDE, FULL PROTECTION ON THE INSIDE

For all those doing their jobs in industries imposing major hygiene constraints, the WHITE range has been designed with a one-piece upper, without assembly stitching. Made with a new thicker material called Dry-Tek®, this range offers enhanced resistance against chemical risks and helps to ensure optimum hygiene with its Cambrelle+ Amicor® antibacterial lining and “refreshing” treatment: the fibres are treated to eliminate bacteria and fungi, and to combat perspiration odours. This lining is made using a new process: a micro-encapsulated deodorant is released by rubbing to ensure lasting freshness.

ADVANTAGES OF THE RANGE:

- Dual density high pressure-injected PU for reduced weight – less than 800g a pair
- Exceptional grip: special non-slip crampons for ceramic floor with glycerin as per SR standard
- Upper made of Dry-Tek®, very solid, waterproof, breathable and resistant
- Upper without side stitching: eliminates the risks of water infiltration
- Composite top cap: does not conduct cold or heat
- Hyper-absorbent lining made of Cambrelle+ Amicor® on foam, with “refreshing” processing
- Insole lining made of antibacterial, antimicrobial and antistatic latex foam, great absorptive capacity and abrasionresistance.
- Washable up to 60°C
- Metal-free: made with no metal parts
- Sizes: from 35 to 48 (some models size available till 52)
- Available in two new colours: black and blue

SUITABLE FOR OUTDOOR USE

Ideal for:


- Healthcare,
- Pharmaceutical,
- Nuclear,
- Food industry
- Electronics,
- Hospitality sector



Special slip resistant treat SR standard



Ultra-light PU double density outsoles



Composite toe cap



Abrasion resistant and highly absorbent insole



“Refreshing” effect of lining

WHITE



HYDRA

S2 HI CI FO SR
REF.: 15216

- Dry-Tek® material resistant to 12 chemical products upper
- Cambrelle+ Amicor® with “refreshing” treatment lining
- Composite 200 joules Light System® toe cap
- Antibacterial and antimicrobial foam insole
- PU 2D sole
- EN ISO 20345:2022 SRC



REF.	DESCRIPTION	SIZE
1066400S	Hydra	35-48



LUNA+

S2 HI CI FO SR / S3S HI CI FO SR
REF.: 15209

- Dry-Tek® material resistant to 12 chemical products upper
- Cambrelle+ Amicor® with “refreshing” treatment lining
- Composite 200 joules Light System® toe cap
- Antibacterial and antimicrobial foam insole
- PU 2D sole
- EN ISO 20345:2022 SRC



REF.	DESCRIPTION	SIZE
120201 & 6270685	Luna+ and Luna+ ESD	35-49



ANDROS+

S2 HI CI FO SR
REF.: 15210

- Dry-Tek® material resistant to 12 chemical products upper
- Cambrelle+ Amicor® with “refreshing” treatment lining
- Padded synthetic PU material ankle protection
- Composite 200 joules Light System® toe cap
- Antibacterial and antimicrobial foam insole
- PU 2D sole
- EN ISO 20345:2022 SRC



REF.	DESCRIPTION	SIZE
120301	Andros+	35-48



NUCLEAR WEAR

NEW

S1PS HI CI FO LG SR
REF: 70202

- Special fabric upper, washable, water repellent and breathable
- 3D mesh lining
- No PU insock (dries faster after washing)
- Double density PU outsole, oil resistant, antistatic and HI-CI insulated
- Anti puncture resistance with PS level
- Composite 200 joules light system toe cap
- RFID chip in tongue for real time monitoring of shoes
- EN ISO 20345:2022 SR



REF.	DESCRIPTION	SIZE
6270681	Nuclear Wear	35-50



M'SOFT™ FREEZ OV

S2 HI CI SRC
REF.: 45202

- Water resistant Dry-Tek® material
- ARTICO® with “refreshing” treatment lining
- Composite 200 joules Light System® toe cap
- Thermoformed dual density foam in active Carbone, antibacterial treatment insole
- PU 2D SOFT SYSTEM® sole
- EN ISO 20345: 2011 SRC



REF.	DESCRIPTION	SIZE
1096001S	M'soft™ Freez Ov	35-48



M'SOFT™ FROST OV

S2 HI CI SRC
REF.: 45203

- Water resistant Dry-Tek® material
- ARTICO® with “refreshing” treatment lining
- Padded synthetic PU material ankle protection
- Composite 200 joules Light System® toe cap
- Thermoformed dual density foam in active Carbone, antibacterial treatment insole
- PU 2D SOFT SYSTEM® sole
- EN ISO 20345: 2011 SRC



REF.	DESCRIPTION	SIZE
6270662	M'soft™ Frost Ov	35-48



WHITE



VESTA+

S2 HI CI FO SR

REF.W: 15113

- Water resistant Dry-Tek® material
- Cambrelle+ Amicor® with “refreshing” treatment lining
- Composite 200 joules Light System® toe cap
- Antibacterial and antimicrobial foam insole
- PU 2D sole
- EN ISO 20345:2011 SRC



REF.	DESCRIPTION	SIZE
125900	Vesta+	35-48



FUSION BLACK

S3S HI CI FO SR

REF.W: 15115

- Water resistant Dry-Tek® material
- Cambrelle+ Amicor® with “refreshing” treatment lining
- Composite 200 joules Light System® toe cap
- Antibacterial and antimicrobial foam insole
- PU 2D sole
- EN ISO 20345:2022 SR



REF.	DESCRIPTION	SIZE
15115	Fusion Black	35-48



ELLE-M



A new ergonomic shape, adapted to the narrowness of the female foot. The shoe is perfectly adjusted to eliminate all pressure points. The flexibility of the lining and of the insole creates a “slipper” effect, delivers a sense of comfort and lightness. This occurs thanks to a new very soft material called On Steam®, that is hyper absorbent and desorbing, very comfortable and resilient, of leather appearance and feeling. All models are an optimal blend of safety features and beauty. Feminine fine shape, modern colours and lines, finishing touches in the slightest details. Last but not least, the heel is wedged and higher for a feminine look.




FEEL ZEN

ADVANTAGES OF THE RANGE:

- Ultralight PU double density injected sole
- A new ergonomic shape, adapted to female foot
- "Anti fatigue" wedge heel
- Top quality raw materials
- Innovative colours and lines
- Lining of the shoe and of the insole of On Steam® material
- "Slipper" effect: immediate feeling of comfort and lightness
- Anti-puncture Composite midsole Flex System®
- The choice between two colours of laces per model

**SUITABLE FOR:
INDOOR/OUTDOOR USE**

- Industry
- Local authorities
- Medical Laboratories
- Service industries
- Food processing industries.



Lining in a very soft material, leather appearance and feeling. High properties of absorption and drying. Thermal insulation and comfort.



Insoles in PU foam, On Steam® lining, "slipper" effect.



Insoles in PU foam, On Steam® lining, "slipper" effect.



Anti-puncture Composite midsole: flexibility and lightness, anti-magnetic and athermal.



Ultralight PU double density injected sole. A new shape adapted to females' foot.



200 joules steel toe cap, profile shape, ultralight with a TPU strip for a better comfort.

LINER

S3 HI CI SRC
REF.: 50201



- Water resistant full grain Nubuck leather upper
- On Steam® on foam lining
- Padded tongue
- Steel 200 joules toe cap
- Composite Flex System® midsole
- Thermoformed PU foam, anatomic, antibacterial and antistatic, On Steam® lining insole
- PU 2D sole
- EN ISO 20345:2011 SRC



REF.	DESCRIPTION	SIZE
1071103S	Liner	35-42



SLIM

S3 HI CI SRC
REF.: 50101

- Water resistant soft microfibre upper
- On Steam® on foam lining
- Padded tongue
- Steel 200 joules toe cap
- Composite Flex System® midsole
- Thermoformed PU foam, anatomic, antibacterial and antistatic, On Steam® lining insole
- PU 2D sole
- EN ISO 20345:2011 SRC



REF.	DESCRIPTION	SIZE
1071303S	Slim	35-42



MASCARA

S1P HI CI SRC
REF.: 50807

- Microfibre suede leather and 3D type breathable material upper
- On Steam® on foam lining
- Padded tongue
- Steel 200 joules toe cap
- Composite Flex System® midsole
- Thermoformed PU foam, anatomic, antibacterial and antistatic, On Steam® lining insole
- PU 2D
- EN ISO 20345:2011 SRC



REF.	DESCRIPTION	SIZE
1092303S	Mascara	35-42



GLAM

S3 HI CI SRC
REF.: 50806

- Water resistant full grain leather
- On Steam® on foam lining
- Padded tongue
- Padded patent leather ankle protection
- Steel 200 joules toe cap
- Composite Flex System® midsole
- Thermoformed PU foam, anatomic, antibacterial and antistatic, On Steam® lining insole
- PU 2D sole
- EN ISO 20345:2011 SRC



REF.	DESCRIPTION	SIZE
1073803S	Glam	35-42



PROTECTION THAT FLOWS, FROM HEEL TO TOE

For safety footwear, comfort should be second only to protection. The Ultimate Footwear range offers both, with protection and comfort that flow from heel to toe. Mimicking the foot's natural movement, the Ultimate Footwear wave concept enables smooth, effortless motion over many terrains. The protective front shield and reflective insert ensure safety, and cleats for indoor and outdoor grip provide stability.



WE INNOVATED A BETTER SAFETY SHOE WITH ADVANCED SAFETY FEATURES AND SUPPORT

Available with

- Leather and water-repellent textile upper
- Poromax® 3D moisture absorbent lining
- Perforated breathable microfibre upper
- Thermy-tex antibacterial treatment
- Artico® 3D lining

Slip resistance

- Large cleats for outdoor grip
- All-road cleats at the midsole for grip on any surface
- Micro cleats for smooth indoor surfaces
- Fluid evacuation sole pattern

Reflective inserts in the outsole keep wearers visible at night



Ergonomic Wave Concept

Protection and comfort that flow from heel to toe, to allow a natural walking motion

Wear-off indicators

A triangle appears when the sole has reached a high level of abrasion



A COMFORTABLE FIT – ANYWHERE

The Ultimate Footwear range provides a comfortable fit for a variety of industrial environment, and for almost any user. Boots and shoes from the range offer suitable protection against all likely hazards, and comfort for day-long wear in:

- Construction
- Light industry
- Manufacturing
- Assembly
- Utilities
- Energy
- Transportation
- Automotive
- Logistics
- DGUV Insocks



EN IEC 61340-4-3:2017iv

The Ultimate Footwear range has been laboratory-tested to meet this standard and is identified as suitable for use in an Electrostatic Discharge Protected Area (EPA).

High shock absorption heel

- Using carefully-positioned holes for comfort while walking or standing for long periods
- The holes in the heel area really working as energy absorbers

Composite toe cap

Ultra-light for greater comfort, heat and cold transfer elimination, and corrosion resistance

FLEXIUM™ anti-perforation interlayer

- Prevents puncturing of sole by sharp objects

MODULAR INSOLE FITTING SYSTEM – Standard or customised for a perfect fit of narrow or wide feet

The fitting can be adapted by use of a choice of two specially-made insoles for “wide feet” or “narrow feet”. The adjustable fitting system, featuring specialist insoles, enables users to adjust the space inside the shoe to achieve a tighter fit to suit narrow feet or to create more room for the comfort of users with wider feet.



Ultimate Narrow Insole
Ref: 62 461 99

Ultimate Wide Insole
Ref: 62 462 00

ULTIMATE FOOTWEAR



JUMP

S3 HI CI SRC

- 100% metal free
- Low-cut style
- Water-repellent leather upper
- Artico® 3D lining
- Non-metallic FLEXIUM™ anti-perforation interlayer
- ESD sole
- Dual-density polyurethane outsole
- EN 61340:5-1:2016
- EN ISO 20345:2011

METAL FREE



PU.2D

REF.	DESCRIPTION	SIZE
6246165	Jump Low-cut	35-49

JUMP MID

S3 HI CI SRC

- 100% metal free
- Mid-cut style
- Water-repellent leather upper
- Artico® 3D lining
- Non-metallic FLEXIUM™ anti-perforation interlayer
- ESD sole
- Dual-density polyurethane outsole
- EN 61340:5-1:2016
- EN ISO 20345:2011

METAL FREE



PU.2D

REF.	DESCRIPTION	SIZE
6246166	Jump Mid-cut	35-49

SQUAT

S1P HI CI SRC

- 100% metal free
- Low-cut style
- Perforated breathable microfibre upper
- Artico® 3D lining
- Non-metallic FLEXIUM™ anti-perforation interlayer
- ESD sole
- Dual-density polyurethane outsole
- EN 61340:5-1:2016
- EN ISO 20345:2011

METAL FREE



PU.2D

REF.	DESCRIPTION	SIZE
6246169	Squat Low-cut	35-49

SQUAT MID

S1P HI CI SRC

- 100% metal free
- Mid-cut style
- Perforated breathable microfibre upper
- Artico® 3D lining
- Non-metallic FLEXIUM™ anti-perforation interlayer
- ESD sole
- Dual-density polyurethane outsole
- EN 61340:5-1:2016
- EN ISO 20345:2011

METAL FREE



PU.2D

REF.	DESCRIPTION	SIZE
6246183	Squat Mid-cut	35-49

PRIME

S3 HI CI SRC

- 100% metal free
- Low-cut style
- Breathable microfibre upper
- Reflective inserts
- Multifunction indoor/outdoor cleats
- Artico® 3D whole-foot lining
- Non-metallic FLEXIUM™ anti-perforation interlayer
- ESD sole
- Polyurethane/thermoplastic polyurethane outsole
- EN 61340:5-1:2016
- EN ISO 20345:2011

METAL FREE

TOP SELLER



PU.2D

REF.	DESCRIPTION	SIZE
6246172	Prime Low-cut	35-49

PRIME MID

S3 HI CI SRC

- 100% metal free
- Mid-cut style
- Breathable microfibre upper
- Reflective inserts
- Multifunction indoor/outdoor cleats
- Artico® 3D whole-foot lining
- Non-metallic FLEXIUM™ anti-perforation interlayer
- ESD sole
- Polyurethane/thermoplastic polyurethane outsole
- EN 61340:5-1:2016
- EN ISO 20345:2011

METAL FREE



PU.2D

REF.	DESCRIPTION	SIZE
6246173	Prime Mid-cut	35-49

ULTIMATE FOOTWEAR



BOSS

METAL FREE

TOP SELLER

S1P HI CI SRC

- 100% metal free
- Low-cut sandal
- Perforated breathable microfibre upper
- Reflective inserts
- Multifunction indoor/outdoor cleats
- Artico® 3D whole-foot lining
- Non-metallic FLEXIUM™ anti-perforation interlayer
- ESD sole
- Polyurethane/thermoplastic polyurethane outsole
- EN 61340:5-1:2016
- EN ISO 20345:2011



REF.	DESCRIPTION	SIZE
6246174	Boss Low-cut	35-49

SPRINT/ SPRINT FLS

NEW

S3S HI CI FO SR

- Low-cut style
- Leather upper and water-repellent textile
- Available with or without Fast Lacing system (FLS)
- Poromax® 3D moisture absorbent lining
- Non-metallic FLEXIUM™ anti-perforation interlayer
- ESD sole
- Thermy-tex antibacterial treatment
- Dual-density polyurethane outsole
- EN 61340:5-1:2016
- EN ISO 20345:2022



REF.	DESCRIPTION	SIZE
6246163 / 6270652	Sprint / Sprint FLS	35-49

SPRINT MID/ SPRINT MID FLS

NEW

S3 HI CI SRC

- Mid-cut style
- Leather upper and water-repellent textile
- Poromax® 3D moisture absorbent lining
- Non-metallic FLEXIUM™ anti-perforation interlayer
- ESD sole
- Thermy-tex antibacterial treatment
- Dual-density polyurethane outsole
- EN 61340:5-1:2016
- EN ISO 20345:2022



REF.	DESCRIPTION	SIZE
6246164 / 6270651	Sprint Mid / Sprint Mid FLS	35-49

MOVE

S3 HI CI SRC

- 100% metal free
- Low-cut style
- Breathable microfibre upper
- Reflective inserts
- Multifunction indoor/outdoor cleats
- Artico® 3D whole-foot lining
- Non-metallic FLEXIUM™ anti-perforation interlayer
- ESD sole
- Polyurethane/thermoplastic polyurethane outsole
- EN 61340:5-1:2016
- EN ISO 20345:2011

METAL FREE



PU2D

REF.	DESCRIPTION	SIZE
6246176	Move Low-cut	35-49

MOVE MID

S3 HI CI SRC

- 100% metal free
- Mid-cut style
- Breathable microfibre upper
- Reflective inserts
- Multifunction indoor/outdoor cleats
- Artico® 3D whole-foot lining
- Non-metallic FLEXIUM™ anti-perforation interlayer
- ESD sole
- Polyurethane/thermoplastic polyurethane outsole
- EN 61340:5-1:2016
- EN ISO 20345:2011

METAL FREE



PU2D

REF.	DESCRIPTION	SIZE
6246177	Move Low-cut	35-49

A WHOLE RANGE OF BENEFITS

Every boot and shoe of the Ultimate Steel Footwear range combines innovation, comfort and safety, and is equally effective both indoors and outdoors, thus meeting the applicable safety standards and your requirements.

INNOVATION

The unique ergonomic wave concept, which underlines the design of every item of the Ultimate Steel Footwear range, enables protection that flows from heel to toes. Designed to mimic the foot's natural movement, the wave concept provides:

- Stability at the heel and midsole – the improved heel grip helps to prevent foot slippage;
- Propulsion at the toes – for one flowing motion;
- The comfortable, new last offers more space inside the shoe;
- The lightweight cushioned heel provides high shock absorption through holes carved out on the profile.

COMFORT

By enabling a natural walking motion, the Ultimate Steel Footwear range is easy to wear all day long. Protection shouldn't compromise comfort, and these boots offer even more:

- Flexible construction combined with optimum resistance to repeated flexing;
- Composite safety toe cap (50% lighter than steel);
- Breathable lining.

SAFETY

The Ultimate Steel Footwear help to protect the wearers against injury hazards through several design and construction features:

- Safety margin ranging from 1 to 2 mm;
- Ultra-light composite safety toe cap;
- Slip-resistant large cleats for outdoor grip and micro cleats for smooth indoor surfaces;
- Slip-prevention fluid evacuation sole pattern;
- Large ground contact area at the heel for greater stability;
- All-road cleats at the midsole, for indoor and outdoor grip on any surface;
- Anti-puncture steel plates for protection against perforation risks.

The Ultimate Steel Footwear range provides a comfortable fit in almost any industrial environment and for various user. The range offers suitable protection against multiple hazards and comfort for all-day-long wear, in:

- Construction
- Industry
- Manufacturing
- Assembly
- Utilities
- Energy
- Transportation
- Food Industry



Silvex - SKU: 624 61 82

TESTED TO THE ULTIMATE LIMIT

The Ultimate Steel Footwear range meets the requirements of EN ISO 20345¹ and has achieved all relevant certifications. Hence, you choose boots or shoes having complete confidence that you provide your workers with the unparalleled protection available.

EN ISO 20345:2011	
CATEGORY	REQUIREMENTS
SB	Basic requirements for shoes: toe cap resistant to impact of 200 Joules and 15kN crushing
S1	SB + closed heel area, antistatic properties, heel energy absorption and resistance to fuel oil
S1P	S1 + plus anti-puncture resistance
S2	S1 + water penetration and absorption
S3	S2 + anti-puncture resistance and cleated outsole

SRC ² - OUTSOLE SLIP-RESISTANCE PERFORMANCE - EN ISO 20345:2011			
MARKING	SURFACE	LUBRICANT	FRICTION FACTOR: FLAT
SRA	Ceramic plates	Sodium lauryl sulfate	0.44 (minimum requirement 0.32)
SRB	Steel	Glycerol	0.22 (mimumum standard 0.18)
SRC	Meets requirements of the above 2 tests (SRA plus SRB)		

All safety standards define a set of tests which safety footwear is required to meet to achieve certification³. However, Honeywell goes further – striving for safety footwear that performs above and beyond the certification level.

- **14%** more impact protection than the standard requirement. The impact resistance (to 200 J) is 16 mm, above the minimum requirement of >=14mm;
- **31,25%** more slip resistance in a flat position than SRA⁴ requirements. They offer a coefficient of friction (COF) of 0.44, above the minimum required value of >=0.32;
- **22%** more slip resistance in flat position than SRB⁵ requirements. Tests have shown a COF of 0.22, above the minimum required value of >= 0.18;
- **65%** more heel energy absorption capacity (to a force of 5,000 N) than the standard requirement. The energy absorption capacity is 34 J, above the minimum requirement of >=20 J.
- **46%** more compression resistance than the standard requirement. The toe cap compression resistance (to 200 J) is 20.55 mm, above the minimum requirement of >=14 mm.

¹ <https://www.iso.org/home.html>

² <https://www.iso.org/home.html>

³ The values reflect the EN ISO 20345:2011 standard test results for the Ultimate Steel range performed on EU size 42 samples.

⁴ Slip resistance on floors with ceramic tiles with sodium lauryl ether sulfate (SLS) solution.

⁵ Slip resistance on a steel surface with glycerol. If a product passes the SRA test, it can be tested for SRB rating. Once it has achieved both, it achieves SRC certification.



Cerata - SKU: 62 461 02



Caleo - SKU: 62 461 01

PROTECTION FROM HEEL TO TOE

The outsoles of the Ultimate Steel Footwear range provide both protection and comfort, from heel to toe, through several innovative features.

FEATURES	BENEFITS
Ergonomic wave concept	Protection and comfort
Wear-off indicators	Safety feature to monitor life span of your shoe: a triangle appears at any of the four locations on the outsole when reaching a high level of abrasion
High shock-absorption heel	The carefully-positioned holes enhance comfort while walking or standing for long periods of time
Composite toe cap	Lightweight and non-metallic for heat transfer, improved comfort and corrosion resistance
Anti-puncture stainless steel plates	High protection against perforation risks
Fluid evacuation channels	Enhanced grip



1. High shock-absorption heel

2. Padded ankle collar and tongue

Adapted to the shape of the foot to ensure comfort when worn for long periods of time

3. Lateral watertight bellows

4. Composite toe cap

THE ULTIMATE STEEL OUTSOLE.

Benefit from enhanced safety and comfort that flow from heel to toe. MTS has combined innovation, high technology and patented concepts to create high-quality outsoles that provide workers with protection and comfort. Mimicking the foot's natural movement, Ultimate Steel outsoles enable smooth, effortless motion over many terrains.

Providing enhanced anti-puncture protection, grip, comfort, durability and reliability, they guarantee indoor and outdoor stability and superior protection. Enjoy the Ultimate Steel Footwear outsoles offering – The Ultimate PU2D (injected outsole with double density PU). With Ultimate PU/PU outsoles, made of polyurethane, you benefit from a

flexible construction combined with optimum repeated flexing strength. Hydrocarbon resistant, antistatic and with adequate slip protection, they provide enhanced impact absorption and comfort.

Their lightweight, cushioned heel provides high shock absorption through holes carved out on the heel's profile.

Available with

- Leather and water-repellent textile upper
- Perforated breathable microfibre upper
- Injected outsole and double density polyurethane

Slip resistance

- Large cleats for outdoor grip
- All-road cleats (indoor and outdoor) at the midsole for grip on any surface
- Fluid evacuation sole pattern

Non-marking outsole

Ergonomic Wave Concept

Protection and comfort that flows from heel to toe, to enable a natural walking motion

Wear-off indicators

A triangle appears when it has reached a high level of abrasion

Marked heel

Stability and grip

High shock absorption heel

Cushioned heel for high shock absorption through holes on the profile



ULTIMATE STEEL



PLATEO EVO

S3 HI CI SRC

- 100% non-metallic toe cap
- Low-cut style
- Leather upper and water repellent
- 3D mesh with foam lining
- Stainless steel anti-perforation interlayer
- Dual-density polyurethane outsole
- EN ISO 20345:2011
- DGUV and three widths insock



REF.	DESCRIPTION	SIZE
6246186	Plateo Evo	35-49



PLOMITA EVO

S3 HI CI SRC

- 100% non-metallic toe cap
- Mid-cut style
- Leather upper and water repellent
- 3D mesh with foam lining
- Stainless steel anti-perforation interlayer
- Dual-density polyurethane outsole
- EN ISO 20345:2011
- DGUV and three widths insock



REF.	DESCRIPTION	SIZE
6246187	Plomita Evo	35-49



SINRA EVO

S3 HI CI SRC

- 100% non-metallic toe cap
- Mid-cut style
- Leather upper and water repellent
- 3D mesh with foam lining
- Stainless steel anti-perforation interlayer
- Dual-density polyurethane outsole
- EN ISO 20345:2011
- DGUV and three widths insock




REF.	DESCRIPTION	SIZE
6246185	Sinra Evo	35-49



TYLEX EVO S3 CI SRC

- 100% non-metallic toe cap
- High boot style
- Leather upper and water repellent
- Stainless steel anti-perforation interlayer
- Dual-density polyurethane outsole
- EN ISO 20345:2011
- DGUV and three widths insock



REF.	DESCRIPTION	SIZE
6246181	Tylex Evo	35-49

SILVEX EVO S3 CI SRC

- 100% non-metallic toe cap
- High boot style
- Leather upper and water repellent
- Fleece lining
- Stainless steel anti-perforation interlayer
- Dual-density polyurethane outsole
- EN ISO 20345:2011



Fleece lining



REF.	DESCRIPTION	SIZE
6246182	Silvex Evo	35-49

CALEO S3 HI CI SRC

- 100% non-metallic toe cap
- Low-cut style
- Suede upper
- 3D mesh with foam lining
- Stainless steel anti-perforation interlayer
- Heel reinforcement
- Dual-density polyurethane outsole
- Antibacterial, antistatic and removable, the ergonomic insole provides effective water absorption
- Additional insoles available (as an accessory), changing the footwear volume for a customizable fit
- EN ISO 20345:2011



REF.	DESCRIPTION	SIZE
6246101	Caleo	35-49

ULTIMATE STEEL



CERATA

S3 HI CI SRC



- 100% non-metallic toe cap
- Mid-cut style
- Suede upper
- 3D mesh with foam lining
- Stainless steel anti-perforation interlayer
- Heel reinforcement
- Dual-density polyurethane outsole
- Antibacterial, antistatic and removable, the ergonomic insole provides effective water absorption
- Additional insoles available (as an accessory), changing the footwear volume for a customizable fit
- EN ISO 20345:2011



REF.	DESCRIPTION	SIZE
6246102	Cerata	35-49





IDEAL FOR TOUGH ENVIRONMENTS

A range specially designed for “heavy” outdoor work requiring robustness and enhanced protection. Soft, light, comfortable and extremely strong, these models are highly resistant to all bad weather and provide effective protection against cold and damp. Full grain leathers, waterproof for up to four or seven hours and designed exclusively for Europe.

ADVANTAGES OF THE RANGE:

- The all-terrain HI-CI sole, with its heavy crampon pattern, can deliver exceptional stability on slippery ground, mud and ice
- EXTREM 4 multi-density injected PU/TPU sole
- Stands up to any challenge: high quality materials
- TPU overcap
- TPU heel reinforcement
- Lightweight & flexible anti perforation
- 100% Composite toe cap
- Poromax®, Cambrelle®, DFD®, Sympatex®, synthetic fur linings,
- Thinsulate® and On Tex® membranes, provide optimum thermal insulation, real barriers against the cold
- Real Cordura®: fabric ensuring high resistance to tearing, both waterproof and breathable



SUITABLE FOR OUTDOOR USE

- Construction and civil engineering
- Oil & gas industries
- Work in cold climates
- Forestry and agriculture
- Mining



HEEL REINFORCEMENT

Indestructible TPU material, facilitates fast boot removal and prevents daily wear and tear



OVER-CAP

TPU protection: high abrasion and shock resistance

M-CLIMBER



ATLAS OVERCAP

S3 HI CI SRC

REF.: 16153

- Full leather upper
- Poromax® lining
- Bellows padded tongue
- Composite 200 joules Light System® toe cap
- Padded full leather ankle support
- TPU overcap for abrasion and shock resistance
- Thermoformed dual density foam in active Carbone, antistatic treatment special ESD and antibacterial insole
- PU/TPU EXTREM 4 sole
- EN ISO 20345:2011 SRC / EN 61340-5-1:2016 / DGUV 112-191



REF.	DESCRIPTION	SIZE
6270663	Atlas Overcap	38-48



ASPET

S3 HI CI SRC

REF.: 16061

- Water resistant full smooth nubuck leather upper
- Full Artico® slipper feeling lining
- Bellows padded tongue
- Composite 200 joules Light System® toe cap
- Composite Flex System® midsole
- Thermoformed dual density foam in active Carbone, antistatic treatment special ESD and antibacterial insole
- PU/TPU EXTREM 4® sole
- EN ISO 20345:2011 SRC / EN 61340-5-1:2016 / DGUV 112-191



REF.	DESCRIPTION	SIZE
6270664	Aspet	38-48



GALIBIER

S3 HI CI SRC

REF.: 16502

- Water resistant full leather upper
- Full Artico® slipper feeling lining
- Bellows padded tongue
- Composite 200 joules Light System® toe cap
- Padded On Steam® ankle support
- Composite Flex System® midsole
- Thermoformed dual density foam in active Carbone, antistatic treatment special ESD and antibacterial insole
- PU/TPU EXTREM 4 sole
- EN ISO 20345:2011 SRC / EN 61340-5-1:2016 / DGUV 112-191



REF.	DESCRIPTION	SIZE
6270665	Galibier	38-48



M-CLIMBER



ISERAN

S3 HI CI WR SRC
REF.: 16149

- Water resistant full smooth Nubuck leather upper
- Waterproof On Tex Kenzo® membrane lining
- Bellows padded tongue
- Composite 200 joules Light System® toe cap
- Padded On Steam® ankle support
- Composite Flex System® midsole
- Thermoformed dual density foam in active Carbone, antistatic treatment special ESD and antibacterial insole
- PU/TPU EXTREM 4 sole
- EN ISO 20345:2011 SRC / EN 61340-5-1:2016 / DGUV 112-191



REF.	DESCRIPTION	SIZE
1113803	Iseran	38-48



IZOARD

S3 HI CI SRC
REF. : 16150

- Water resistant full smooth Nubuck leather upper
- Full Artico® slipper feeling lining
- Bellows padded tongue
- Composite 200 joules Light System® toe cap
- Padded On Steam® ankle support
- Composite Flex System® midsole
- Thermoformed dual density foam in active Carbone, antistatic treatment special ESD and antibacterial insole
- PU/TPU EXTREM 4 sole
- EN ISO 20345:2011 SRC / EN 61340-5-1:2016 / DGUV 112-191



REF.	DESCRIPTION	SIZE
1114003	Izoard	38-48



SOULOR

S3 HI CI SRC
REF.: 16505

- Water resistant full smooth Nubuck leather and abrasion resistant material upper
- Full Artico® slipper feeling lining
- Bellows padded tongue
- Composite 200 joules Light System® toe cap
- Padded On Steam® ankle support
- Composite Flex System® midsole
- Thermoformed dual density foam in active Carbone, antistatic treatment special ESD and antibacterial insole
- PU/TPU EXTREM 4
- EN ISO 20345:2011 SRC / EN 61340-5-1:2016 / DGUV 112-191



REF.	DESCRIPTION	SIZE
1114403	Soulor	38-48



M-CLIMBER



TOURMALET

S3 HI CI SRC
REF.: 16060

- Water resistant full smooth Nubuck leather upper
- Full Artico® slipper feeling lining
- Bellows padded tongue
- Composite 200 joules Light System® toe cap
- Padded synthetic material ankle support
- Composite Flex System® midsole
- Thermoformed dual density foam in active Carbone, antistatic treatment special ESD and antibacterial insole
- PU/TPU EXTREM 4 sole
- EN ISO 20345:2011 SRC / EN 61340-5-1:2016 / DGUV 112-191



REF.	DESCRIPTION	SIZE
1114203	Tourmalet	38-48



DAVIS

S3 HI CI SRC
REF.: 16110

- Water resistant full leather and Cordura® upper
- Cambrelle® breathable lining
- Bellows padded tongue
- Padded full leather ankle support
- Composite 200 joules Light System® toe cap
- Composite Flex System® midsole
- Thermoformed PU foam, anatomic, antibacterial and antistatic insole
- PU/TPU EXTREM 4
- EN ISO 20345:2011 SRC



REF.	DESCRIPTION	SIZE
1024203S	Davis	38-48



TAURUS OVERCAP

S3 HI CI SRC
REF.: 16111

- Water resistant cow full leather and Cordura® upper
- Grey synthetic fur lining
- Bellows padded tongue
- Padded full leather ankle support
- Composite 200 joules Light System® toe cap
- Composite Flex System® midsole
- Thermoformed PU foam, anatomic, antibacterial and antistatic insole
- PU/TPU EXTREM 4 sole
- EN ISO 20345:2011 SRC



REF.	DESCRIPTION	SIZE
6270646	Taurus Overcap	38-48



M-CLIMBER



KINLEY OVERCAP

S3 HI CI SRC
REF.: 16104

- Water resistant cow full leather and Cordura® upper
- DFD® and Thinsulate® membrane lining
- Bellows padded tongue
- Padded supple leather ankle support
- Composite 200 joules Light System® toe cap
- Composite Flex System® midsole
- Thermoformed PU foam, anatomic, antibacterial and antistatic insole
- PU/TPU EXTREM 4 sole
- EN ISO 20345:2011 SRC



REF.	DESCRIPTION	SIZE
1043400S	Kinley Overcap	38-48



RIGI

METAL FREE

S3 HI CI SRC
REF.: 16034

- Water resistant full leather upper
- Composite 200 joules Light System® toe cap
- Composite Flex System® midsole
- Thermoformed PU foam, anatomic, antibacterial and antistatic insole
- Side loops for quick and easy pull on
- PU/TPU EXTREM 4 sole
- EN ISO 20345:2011 SRC



REF.	DESCRIPTION	SIZE
6270644	Rigi	38-48



M-CLIMBER



CARLIT

S3 HI CI SRC
REF.: 16131

- 4 hours water resistant full supple nubuck leather upper
- Grey synthetic fur lining
- Composite 200 joules Light System® toe cap
- Composite Flex System® midsole
- Thermoformed PU foam, anatomic, antibacterial and antistatic insole
- PU/TPU EXTREM 4 sole
- EN ISO 20345:2011 SRC

METAL FREE



REF.	DESCRIPTION	SIZE
1024503S	Carlito	38-48



ANETO OVERCAP

S3 HI CI SRC
REF.: 16137

- 4 hours water resistant full supple nubuck leather upper
- Poromax® lining
- Composite 200 joules Light System® toe cap
- Composite Flex System® midsole
- Thermoformed PU foam, anatomic, antibacterial and antistatic insole
- PU/TPU EXTREM 4 sole
- EN ISO 20345:2011 SRC



REF.	DESCRIPTION	SIZE
6270641	Aneto Overcap	38-48



POLAR OVERCAP

S3 HI CI SRC
REF.: 16141

- Water resistant full leather for 7 hours upper
- Special for very cold temperatures and insulated Sympatex® + Primaloft® lining
- Bellows padded tongue in full leather
- Padded full leather ankle support
- Composite 200 joules Light System® toe cap
- Composite Flex System® midsole
- Felt and foam on aluminized film, high thermal insulation insole
- PU/TPU EXTREM 4 sole
- EN ISO 20345:2011 SRC



REF.	DESCRIPTION	SIZE
6270643	Polar Overcap	38-48



M-CLIMBER



ICEBERG OVERCAP

S3 HI CI SRC
REF.: 16140

- Water resistant full leather for 7 hours upper
- DFD® and Thinsulate® membrane lining for extreme cold temperatures
- Composite 200 joules Light System® toe cap
- Composite Flex System® midsole
- Felt and foam on aluminized film, high thermal insulation insole
- PU/TPU EXTREM 4 sole
- EN ISO 20345:2011 SRC



REF.	DESCRIPTION	SIZE
1050603S	Iceberg Overcap	38-48



TIMBER

S3 HI CI WR SRC
REF: 16154

- Water-resistant greased Nubuck leather
- Sympatex waterproof lining
- Composite 200 joules Light System® toe cap
- Leather-padded with hook-and-loop fastening to the gusset to prevent twisting.
- Composite, amagnetized, and thermally insulating anti puncture plate
- PU/TPU EXTREM 4 sole
- EN ISO 20345:2011, S3, SRC, WR and EN ISO 17249:2013/AC: 2014, Level 2, classification I, category III (fatal risks)

NEW




REF.	DESCRIPTION	SIZE
6270657	Timber	38-48



M-XTREME COLLECTION

HRO

A new range of flexible, lightweight and extremely durable safety footwear, which improves protection in extreme working conditions: heat, oils and acids resistance. Equipped with an innovative and exclusive dual density sole in PU/NITRILE HRO with orange-colour phosphorescent inserts, this new range offers day and night visibility, to work safely.



ADVANTAGES OF THE RANGE:

- Dual density PU/NITRILE HRO outsole, heat resistant on contact up to 300°C
- Oils and acids resistant outsole
- Orange colour phosphorescent inserts: day and night high visibility
- Deep studs for exceptional slip resistance
- Stands up to any challenge: enhanced quality raw materials
- TPU Overcap
- Lightweight and flexible: 100% Composite
- Poromax® and Cambrelle® ventilated linings

SUITABLE FOR INDOOR/OUTDOOR USE

- Oil Industry
- Metallurgy
- Construction
- Chemical Industry
- Building Material Industry
- Night Work, Highway Maintenance
- Road Construction
- Waste Collection



Dual density pu/nitrile sole, with orange colour phosphorescent inserts - day and night high visibility



Dual density pu/nitrile sole, resistant to heat (300° C), to oil and acids



Over Cap TPU protection: high abrasion and shock resistance



PU foam "Soft Touch" anatomical insole

GAMMA OVERCAP

VISIBLE IN THE DARK

S3 HI CI HRO SRC
REF.: 51110

- Water resistant full supple nubuck leather upper
- Poromax® lining
- Leather bellows padded tongue
- Composite 200 joules Light System® toe cap
- Composite Flex System® midsole
- Thermoformed PU foam, anatomic, antibacterial and antistatic insole
- PU/NITRILE HRO 300°C with phosphorescent inserts sole
- EN ISO 20345:2011 SRC



REF.	DESCRIPTION	SIZE
6270666	Gamma Overcap	35-50



NEON OVERCAP

VISIBLE IN THE DARK

S3 HI CI HRO SRC
REF.: 51102

- Water resistant full supple nubuck leather upper
- Poromax® lining
- Leather bellows padded tongue
- Padded full leather ankle support
- Composite 200 joules Light System® toe cap
- Composite Flex System® midsole
- Thermoformed PU foam, anatomic, antibacterial and antistatic insole
- PU/NITRILE HRO 300°C with phosphorescent inserts sole
- EN ISO 20345:2011 SRC / DGUV 112-191



REF.	DESCRIPTION	SIZE
10662005	Neon Overcap	35-50



INFRA OVERCAP

VISIBLE IN THE DARK

S3 HI CI HRO SRC
REF.: 51103

- Water resistant full supple nubuck leather upper
- Poromax® lining
- Leather bellows padded tongue
- Fastening with zip on the interior side
- Padded full leather ankle support
- Composite 200 joules Light System® toe cap
- Composite Flex System® midsole
- Thermoformed PU foam, anatomic, antibacterial and antistatic insole
- PU/NITRILE HRO 300°C with phosphorescent inserts sole
- EN ISO 20345:2011 SRC



REF.	DESCRIPTION	SIZE
6270638	Infra Overcap	35-50



M-XTREME



PLASMA OVERCAP

VISIBLE IN THE DARK

S3 HI CI HRO SRC

REF.: 51104

- Water resistant full supple nubuck leather upper
- Special rear reinforcement made of PU coated leather, abrasion resistant ankle support
- Composite 200 joules Light System® toe cap
- Composite Flex System® midsole
- Thermoformed PU foam, anatomic, antibacterial and antistatic insole
- PU/NITRILE HRO 300°C with phosphorescent inserts sole
- EN ISO 20345:2011 SRC



REF.	DESCRIPTION	SIZE
6270642	Plasma Overcap	38-48



ARGON OVERCAP

S3 HI CI HRO SRC

REF.: 51108

- Water resistant full leather upper
- Artico® lining
- Leather bellows padded tongue and flap tongue
- Padded leather ankle support
- Composite 200 joules Light System® toe cap
- Composite Flex System® midsole
- Thermoformed PU foam, anatomic, antibacterial and antistatic insole
- PU/NITRILE HRO 300°C sole
- EN ISO 20345:2011 SRC



REF.	DESCRIPTION	SIZE
1101503	Argon Overcap	35-50



VESUVE OVERCAP

S3 HI CI HRO SRC

REF.: 51112

- Water resistant full leather upper
- Artico® lining
- Leather bellows padded tongue and 2 leather layered flaps helps in kneeling
- Buckles for fastening and quick release
- Padded leather ankle protection support
- Composite 200 joules Light System® toe cap
- Composite Flex System® midsole
- Thermoformed PU foam, anatomic, antibacterial and antistatic insole
- PU/NITRILE HRO 300°C sole
- EN ISO 20345:2011 SRC



REF.	DESCRIPTION	SIZE
6270667	Vesuve Overcap	35-50



CONSTRUCTION BTP MID

S3S HRO HI CI SC AN LG FO SR

METAL FREE

PATENTED

NEW

- Premium Nubuck, water resistant full grain leather
- Composite toe cap
- Heel stiffener to reinforce the heel seat and provide optimum support to ankle region
- Non metallic penetration protection insole
- Heavy duty TPU overcap reinforcement for strength
- ARTICO lining for increased abrasion, higher elasticity, improved heat conductivity for optimum work conditions
- PU/NITRILE HRO 300°C sole
- Slip resistant sole, also resistant to mineral and organic oils and acids
- EN ISO 20345:2022
- Black color option also available from May 2025



REF.	DESCRIPTION	SIZE
6552301	BTP MID	35-49



CONSTRUCTION BTP RANGER

S3S HRO HI CI SC AN LG FO SR

METAL FREE

PATENTED

NEW

- Premium Nubuck, water resistant full grain leather
- Composite toe cap
- Heel stiffener to reinforce the heel seat and provide optimum support to ankle region
- Non metallic penetration protection insole
- Heavy duty TPU overcap reinforcement for strength
- ARTICO lining for increased abrasion, higher elasticity, improved heat conductivity for optimum work conditions
- PU/NITRILE HRO 300°C sole
- Slip resistant sole, also resistant to mineral and organic oils and acids
- EN ISO 20345:2022
- Black color option also available from May 2025



REF.	DESCRIPTION	SIZE
6552302	BTP RANGER	35-49



KILI HRO

S3 HI CI HRO SRC
REF.: 16130

NEW

- 4 hours water resistant full supple nubuck leather upper
- Composite 200 joules Light System® toe cap
- Composite Flex System® midsole
- Thermoformed PU foam, anatomic, antibacterial and antistatic insole
- PU/NITRILE HRO 300°C sole
- EN ISO 20345:2011 SRC



REF.	DESCRIPTION	SIZE
6270691	KILI HRO	38-48



Informed by a rich heritage and expertise in the field of safety footwear, MTS utilized cutting-edge technologies to advance the development of protective footwear. Discover the new generation of (i) XTREM technical models, designed to meet your foot protection needs in specific industrial environments.

The development of the (i)XTREM range combines comfort, performance and durability. The raw materials

have been carefully chosen to help provide optimal protection in hostile and demanding environments. The toe and puncture-resistant non-metallic insert ensures lightness and thermal insulation while the sole injection technology offers flexibility and grip. This range is recommended for work environments with a high risk of ankle injury, aggressive environments and public utilities (waste management, railways, maintenance, etc.)



XTREME, STRONG GRIP PU/NITRILE OUTSOLE

- Enhanced grip on all surfaces, indoor and outdoor
- Grip coefficients exceed EN 20345:2011 standards

Benefits:

- Biomechanical: Forefoot designed for extra grip and propulsion
- Non-slip cleats: Cleats provide enhanced slip-resistance and facilitate fluid expulsion. Specific cleats on the instep for improved grip on ladders
- Marked heel: Heel shock absorber. Heel area designed for grip and support for walking action



PREMIUM PLUS TOE CAP

- Development of a new high performance toe cap: 20% additional clearance than required by regulations
- New shape designed for the specific needs of users
- Reinforced resistance to impact and compression for improved performance

Benefits:

- Enhanced safety against risks of impact and compression
- Toe cap follows the anatomy of the foot and is designed for specific work environments
- Thermal insulation
- Non-metallic



INSOLE FOR XTREME RANGE

- Shock absorption thanks to high-strength foam
- Comfortable
- Antistatic
- Antibacterial
- Excellent water absorption and desorption
- Washable up to 90°C while retaining its properties
- Tear and abrasion resistance
- Breathable



ARTICO® 3D "SLIPPER" EFFECT LINING

- Complies with the new standard EN ISO 20345:2011
- Hydrophilic, breathable, absorbent and fast-drying
- Antibacterial (Thermy-tex) and anti-odour
- Enhanced foot hygiene and ventilation
- High abrasion and tear resistance

M-XTREME



FORCE

S3 HRO HI CI SRC

Versatile model for heavy industrial and outdoor work

- Water-repellent full-grain leather upper
- Waterproof side gussets
- Artico® 3D lining covering the entire foot
- Ergonomic and padded collar for an optimised comfort
- Reinforced front
- Non-metallic toe cap
- Reflective non-metallic lace holes
- Non-metallic anti-puncture insert
- PU/Nitrile injected outsole
- (i)Xtrem insole
- EN ISO 20345:2011 S3 HRO HI CI SRC



REF.	DESCRIPTION	SIZE
6246203	Force	35-49



PROTECT

S7S HI CI FO LG HRO SR

Versatile model for heavy industrial and outdoor work

- Water-repellent full-grain leather upper
- Waterproof full-grain leather upper
- Waterproof side gussets
- Artico® 3D lining covering the entire foot
- Ergonomic collar and padded tongue for an optimised comfort
- Reinforced front
- Non-metallic toe cap
- On toe protection assembly
- Reflective non-metallic lace holes
- Non-metallic anti-puncture insert
- PU/Nitrile injected outsole
- (i)Xtrem insole
- EN ISO 20345:2022 - S7S HI CI FO LG HRO SR



REF.	DESCRIPTION	SIZE
6246204	Protect	35-49



HIKE

S3 HRO HI CI SRC

Versatile model for heavy industrial and outdoor work

- Water-repellent full-grain leather upper
- Waterproof side gussets
- Artico® 3D lining covering the entire foot
- Ergonomic collar and padded tongue for an optimised comfort
- Reinforced front
- Non-metallic toe cap
- Non-metallic anti-puncture plate
- PU/Nitrile injected outsole
- (i)Xtrem insole
- EN ISO 20345:2011 S3 HRO HI CI SRC



REF.	DESCRIPTION	SIZE
6246201	Hike	35-49



M-XTREME



QUAD

S3 HRO HI CI SRC

Versatile model for heavy industrial, outdoor work and construction

- Water-repellent full-grain leather upper
- Comfort foam for ankle grip
- Pull up loops for easy wearing
- Thermal insulation foot lining
- Reinforced front
- Non-metallic toe cap and anti puncture insert
- Fast-drying Poromax® 3D lining, thanks to its hydrophilic treatment, develops total absorption properties in damp conditions/has an antibacterial and antimicrobial Themy-tex treatment
- PU/Nitrile injected outsole
- (i)Xtrem insole
- EN ISO 20345:2011 S3 HRO HI CI SRC



PU, NITRILE

REF.	DESCRIPTION	SIZE
6246212	Quad	35-49

BACOU HULSO BTP

HRO S3 SRC

- NEW Breathable ankle collar and upper quarter for dramatically-increased breathability and foot comfort
- NEW Absorbent artico liner for enhanced breathability and sweat removal with a quick-drying liner
- NEW (i)XTREM HRO PU/Nitrile outsole which includes cleats for maximum grip and protection against falls
- NEW Protective reinforced sewed overcap which prevents tearing and improves boot durability
- Change protective reinforced line with Reinforced Front
- Reinforced rivets and triple stitching for increased boot durability and longevity
- Metallic eyelet end hooks
- Non-metallic anti-puncture insert
- Light and strong microfibre for ensured lightweight comfort and durability for tough construction environments
- EN ISO 20345:2011 HRO S3 SRC



REF.	DESCRIPTION	SIZE
6246154	Bacou Hulso BTP	35-49

COLLECT

S3 HRO HI CI SRC

Model particularly suited to maintenance work, waste management and local authorities

- Water-repellent full-grain leather upper
- Waterproof side gussets
- Ergonomic collar and padded tongue for an optimised comfort
- Waterproof side seams
- Coolmax® antibacterial lining
- Reinforced front
- Non-metallic toe cap
- Non-metallic anti-puncture insert
- PU/Nitrile injected outsole
- (i)Xtrem insole
- EN ISO 20345:2011 S3 HRO HI CI SRC



REF.	DESCRIPTION	SIZE
6246202	Collect	35-49



COLLECT ICE

S3 HRO HI CI SRC

Model particularly suited to maintenance work, waste management and local authorities in cold environments

- Water-repellent full-grain leather upper
- Waterproof side gussets
- Ergonomic collar and padded tongue for an optimised comfort
- Waterproof side seams
- Coolmax® antibacterial lining
- Thermal insulation lining
- Reinforced front
- Non-metallic toe cap
- Non-metallic anti-puncture insert
- PU/Nitrile injected outsole
- (i)Xtrem insole
- EN ISO 20345:2011 S3 HRO HI CI SRC



REF.	DESCRIPTION	SIZE
6246210	Collect Ice	35-49



BALLAST ICE EVO

S3 HRO HI CI SRC

Model particularly suited to working on unstable ground in cold and “aggressive” environments, including railway

- Metal free: model particularly suited to working on unstable and “aggressive” ground, including railway
- Oily leather upper, water-repellent and oil-repellent treatment, brown colour; ergonomic upper in mono birex
- Ergonomic ankle collar in mono birex, side bellows sealing
- Thermal insulation lining covering the entire foot
- Artico® 3D lining covering the entire foot
- Quilted high collar for maximum comfort
- Reinforcement overtop in front without apparent stitching
- Non-metallic anti-puncture insert
- Antibacterial, antistatic and removable insole; excellent water absorption
- Non-metallic toe cap
- PU/Nitrile injected outsole
- (i)Xtrem insole
- EN ISO 20345:2011 S3 HRO HI CI SRC



REF.	DESCRIPTION	SIZE
6246217	Ballast Ice	35-49



BALLAST 2.0 / BALLAST 2.0 FLS

S7S HI CI FO LG HRO AN SC SR

Heavy duty protection for workers in industrial segment, including railways

- High-quality full-grain leather upper
- Breathable and waterproof Sympatex® membrane
- Dual density PU/Nitrile sole, with orange phosphorescent inserts which provide day and night high visibility
- Non-metallic penetration protection insole
- Composite toe cap
- Available with and without fast lacing system
- Artico lining for increased abrasion, higher elasticity, improved heat conductivity for optimum work conditions
- Heel stiffener to reinforce the heel seat and provide optimum support to ankle region
- Reflective strips on the sides



REF.	DESCRIPTION	SIZE
6270613 / 6270612	Ballast 2.0 / Ballast 2.0 FLS	35-49



BAC'RUN® PUN

- PU/Rubber Nitrile outsole composed of a layer in nitrile in contact with the ground and a PU comfort layer.
- Resistant to heat by contact up to 300°C.
- Ideal for long periods of work on either hot, or cold/frozen ground.
- Easy to put on/take off.



FIBREGLASS 200 J NON-METALLIC TOE CAP

- Metal-free and unalterable
- Protects from hot and cold
- Effective protection and imperceptible to the wearer



3D MESH LINING

- Breathable, absorbent and quick drying



BAC'RUN INSOLE®

- Removable and antistatic
- Improved hygiene
- Greater comfort



WATER-RESISTANT LEATHER

- Resistant to fluid splashes and tearing
- Long life span



PADDED ERGONOMIC ANKLE COLLAR AND TONGUE

- Ankle and instep protection

EXONO EVO S3 HRO SRC

METAL FREE

TOP SELLER

- Mid-cut style
- Fibreglass 200 J non-metallic toe cap
- Microfibre upper
- 3D Mesh lining: breathable, absorbent and quick drying
- PU/Rubber Nitrile outsole
- S3 marking: S2 + anti-puncture resistance and cleated outsole
- HRO marking: resistance to hot contact
- Excellent solution for construction segment
- EN ISO 20345:2011 S3 HRO SRC



REF.	DESCRIPTION	SIZE
6245890	Exono Evo	38-48



M-XTREME



ARGONO EVO

S3 HRO SRC

METAL FREE

- Mid-cut style
- Fibreglass 200 J non-metallic toe cap
- Water-resistant full-grain leather upper
- Padded, leather-lined spark-proof flap
- 3D Mesh lining: breathable, absorbent and quick drying
- PU/Rubber Nitrile outsole
- S3 marking: S2 + anti-puncture resistance and cleated outsole
- HRO marking: resistance to hot contact
- EN ISO 20345:2011 S3 HRO SRC



REF.	DESCRIPTION	SIZE
6245892	Argono Evo	38-48



PROTECTOR EVO

S3 M HRO SRC

- Mid-cut style
- Fibreglass 200 J non-metallic toe cap
- Leather upper
- Reinforced protection over the toe cap
- 3DMesh lining: breathable, absorbent and quick drying
- Quick release buckle fastening
- PU/Rubber Nitrile outsole
- S3 marking: S2 + anti-puncture resistance and cleated outsole
- M marking: flexible 100 J metatarsal protection
- HRO marking: resistance to hot contact
- EN ISO 20345:2011 S3 HRO SRC



REF.	DESCRIPTION	SIZE
6245893	Protector Evo	38-48



FREEROAD EVO

S3 HI CI WR HRO SRC



- Mid-cut style
- Fibreglass 200 J non-metallic toe cap
- Full-grain leather waterproof upper
- 3D Mesh lining: breathable, absorbent and quick drying
- PU/Rubber Nitrile outsole
- S3 marking: S2 + anti-puncture resistance and cleated outsole
- HI and CI markings: Resistance to inimical environments: Heat and cold insulation of the sole complex
- WR marking: Water resistance
- HRO marking: resistance to hot contact
- EN ISO 20345:2011 S3 HI CI WR HRO SRC



REF.	DESCRIPTION	SIZE
6245891	Freeroad Evo	38-48



FEEL THE DIFFERENCE

Tested and approved from its conception by many safety shoe wearers in Europe, TECH is a complete range, intended for a large number of uses in the industrial sector, for all indoor and outdoor works. These models combine a modern, non-traditional, slimming design, and innovative technologies, without forgetting the lightness, the flexibility and an exceptional comfort, attested by walking tests carried out by an independent laboratory. All models are certified to ESD (Electro Static Discharge) and to DGUV 112-191 (orthopedic insoles) standards. In addition, they offer an excellent price-durability ratio.

ADVANTAGES OF THE RANGE

- PU dual-density outsole, total grip
- Multi-purpose cleated indoor/outdoor outsole
- Well defined heel, cleated arch
- New ankle anti-twist system
- Built-in PU Bumpcap
- Slimming design on the forefoot
- New improved high performance materials
- Full lining up to the toes, "slipper" feeling
- Lightness and flexibility, fewer than 600 grams per shoe
- New thermoformed full insole ESD, conforms to EN 61340-4-3 standard
- Conforms to DGUV 112-191 standard (orthopedic insoles)
- Exceptional comfort, scientifically demonstrated

SUITABLE FOR INDOOR AND OUTDOOR USE

- Construction and Public Works
- Infrastructure
- Logistics and Transport Services
- High-Tech and Automotive
- Craftsmanship



TECH ACCESS

S3 HI CI SRC
REF.: 70107

- Water resistant on Micro TD® microfiber upper with leather
- Full Air System® slipper feeling lining
- Bellows padded tongue
- Composite 200 joules Light System® toecap
- Composite Flex System® midsole
- Thermoformed dual density foam in active Carbone, antistatic treatment special ESD and antibacterial insole
- PU 2D sole
- EN ISO 20345:2011 SRC / EN 61340-4-3 / DGUV 112-191



REF.	DESCRIPTION	SIZE
1091403S	Tech Access	35-49



TECH TOTAL

S3 HI CI SRC
REF.: 70109

- Water resistant On Micro TD® microfiber upper with leather
- Full Air System® slipper feeling lining
- Bellows padded tongue
- Padded On Steam® Ankle Support
- Composite 200 joules Light System® toe cap
- Composite Flex System® midsole
- Thermoformed dual density foam in active Carbone, antistatic treatment special ESD and antibacterial insole
- PU 2D sole
- EN ISO 20345:2011 SRC / EN 61340-4-3 / DGUV 112-191



REF.	DESCRIPTION	SIZE
1091303S	Tech Total	35-49



TECH POWER / POWER FLS

S3S HI CI FO LG SR
REF.: 70804

- Water resistant full supple leather and Cordura® upper
- Full Artico® slipper feeling lining
- Available with or without Fast lacing system (FLS)
- Bellows padded tongue
- Padded Cordura® ankle support
- Composite 200 joules Light System® toe cap
- Composite Flex System® midsole
- Thermoformed dual density foam in active Carbone, antistatic treatment special ESD and antibacterial insole
- PU 2D sole
- Reflective strip on the heel
- EN ISO 20345:2022 SRC / EN 61340-5-1:2016



REF.	DESCRIPTION	SIZE
1093603S / 6270653	Tech Power / Power FLS	35-48



TECH RUNNER / RUNNER FLS

S3S HI CI FO LG SR

REF.: 70805

NEW

- Water resistant full supple leather and Cordura® upper
- Full Artico® slipper feeling lining
- Available with and without Fast lacing system (FLS)
- Bellows padded tongue
- Padded Cordura® ankle support
- Composite 200 joules Light System® toe cap
- Composite Flex System® midsole
- Thermoformed dual density foam in active Carbone, antistatic treatment special ESD and antibacterial insole
- PU 2D sole
- EN ISO 20345:2022 SRC / EN 61340-5-1:2016



REF.	DESCRIPTION	SIZE
1092703S / 6270654	Tech Runner / Runner FLS	35-48



TECH BIONIC

S1P HI CI SRC

REF.: 70810

- Perforated On Suede® microfibre and Cordura® upper
- Full Artico® slipper feeling lining
- Bellows padded tongue
- Composite 200 joules Light System® toe cap
- Composite Flex System® midsole
- Thermoformed dual density foam in active Carbone, antistatic treatment special ESD and antibacterial insole
- PU 2D sole
- Reflective strip on the heel
- EN ISO 20345:2011 SRC / EN 61340-4-3 / DGUV 112-191



REF.	DESCRIPTION	SIZE
1093802S	Tech Bionic	35-48



TECH SONIC

S1P HI CI SRC

REF.: 70811

- Perforated On Suede® microfibre and Cordura® upper
- Full Artico® slipper feeling lining
- Bellows padded tongue
- Padded Cordura® ankle support
- Composite 200 joules Light System® toe cap
- Composite Flex System® midsole
- Thermoformed dual density foam in active Carbone, antistatic treatment special ESD and antibacterial insole
- PU 2D sole
- EN ISO 20345:2011 SRC / EN 61340-4-3 / DGUV 112-191



REF.	DESCRIPTION	SIZE
1091503S	Tech Sonic	35-48



TECH GRAVITY

S3 HI CI SRC
REF.: 70704

- Water resistant full supple leather and Cordura® upper
- Full Artico® slipper feeling lining
- Bellows padded tongue
- Composite 200 joules Light System® toe cap
- Composite Flex System® midsole
- Thermoformed dual density foam in active Carbone, antistatic treatment special ESD and antibacterial insole
- PU 2D sole
- Reflective strip on the heel
- EN ISO 20345:2011 SRC / EN 61340-4-3 / DGUV 112-191



REF.	DESCRIPTION	SIZE
6270658	Tech Gravity	35-48



TECH INFINY

S3 HI CI SRC
REF.: 70705

- Water resistant full supple leather and Cordura® upper
- Full Artico® slipper feeling lining
- Bellows padded tongue
- Padded Cordura® ankle support
- Composite 200 joules Light System® toe cap
- Composite Flex System® midsole
- Thermoformed dual density foam in active Carbone, antistatic treatment special ESD and antibacterial insole
- PU 2D sole
- Reflective strip on the heel
- EN ISO 20345:2011 SRC / EN 61340-4-3 / DGUV 112-191



REF.	DESCRIPTION	SIZE
6270659	Tech Infiny	35-48



TECH ACTIV

S3 HI CI SRC
REF.: 70710

- Water resistant full supple leather and Cordura® upper
- Full Artico® slipper feeling lining
- Bellows padded tongue
- Composite 200 joules Light System® toe cap
- Composite Flex System® midsole
- Thermoformed dual density foam in active Carbone, antistatic treatment special ESD and antibacterial insole
- PU 2D sole
- Reflective strip on the heel
- EN ISO 20345:2011 SRC / EN 61340-4-3 / DGUV 112-191



REF.	DESCRIPTION	SIZE
1091803S	Tech Activ	35-48



TECH



TECH ULTIM

S3 HI CI SRC

REF.: 70711

- Water resistant full supple leather and Cordura® textile
- Full Artico® slipper feeling lining
- Bellows padded tongue
- Padded Cordura® ankle support
- Composite 200 joules Light System® toe cap
- Composite Flex system midsole
- Thermoformed dual density foam in active Carbone, antistatic treatment special ESD and antibacterial insole
- PU 2D sole
- EN ISO 20345:2011 SRC / EN 61340-4-3 / DGUV 112-191



REF.	DESCRIPTION	SIZE
1091603S	Tech Ultim	35-48



TECH SCORE

S3 HI CI SRC

REF.: 70720

- Water resistant full nubuck leather upper
- Full Artico® slipper feeling lining
- Bellows padded tongue
- Padded On Steam® ankle support
- Composite 200 joules Light System® toe cap
- Composite Flex System® midsole
- Thermoformed dual density foam in active Carbone, antistatic treatment special ESD and antibacterial insole
- PU 2D sole
- EN ISO 20345:2011 SRC / EN 61340-4-3 / DGUV 112-191



REF.	DESCRIPTION	SIZE
6270645	Tech Score	35-48



TECH CONSTRUCTOR

S3 HI CI SRC

REF.: 70114

- Water resistant full supple leather and Cordura® upper
- Full Artico® slipper feeling lining
- Bellows padded tongue
- Padded Cordura® ankle support
- Composite Flex System® toecap
- Steel midsole
- Thermoformed dual density foam in active Carbone, antistatic treatment special ESD and antibacterial insole
- PU 2D sole
- EN ISO 20345:2011 SRC / EN 61340-4-3 Class 1 / DGUV 112-191



REF.	DESCRIPTION	SIZE
1091903S	Tech Constructor	35-48



TECH FIELD WR

S3 HI CI WR SRC
REF.: 70110

- Water resistant full supple leather upper
- Full Kenzo® + waterproof On Tex® membrane lining
- Waterproof bellows padded tongue
- Composite 200 joules Light System® toe cap
- Composite Flex System® midsole
- Thermoformed dual density foam in active Carbone, antistatic treatment special ESD and antibacterial insole
- PU 2D sole
- EN ISO 20345:2011 SRC / EN 61340-4-3 / DGUV 112-191



REF.	DESCRIPTION	SIZE
1090903S	Tech Field WR	35-48



TECH SHIELD WR

S3 HI CI WR SRC
REF.: 70111

- Water resistant full supple leather upper
- Full Kenzo® + waterproof On Tex® membrane lining
- Waterproof bellows padded tongue
- Padded On Steam® Ankle Support
- Composite 200 joules Light System® toe cap
- Composite Flex System® midsole
- Thermoformed dual density foam in active Carbone, antistatic treatment special ESD and antibacterial insole
- PU 2D sole
- EN ISO 20345:2011 SRC / EN 61340-4-3 / DGUV 112-191



REF.	DESCRIPTION	SIZE
1090803S	Tech Shield WR	35-48



TECH UTOPIA

S1P HI CI SRC
REF : 70812

- Full nubuck leather and fluorescent Puntex® fabric
- Full Artico® slipper feeling
- Composite 200 joules Light System® toe cap
- Composite Flex System® midsole
- Thermoformed dual density foam in active Carbone, antistatic treatment special ESD and antibacterial insole
- PU 2D sole
- EN ISO 20345:2011 SRC / EN 61340-5-1:2016 / DGUV 112-191




REF.	DESCRIPTION	SIZE
6270660	Tech Utopia	35-48



START UP

PUT SAFETY FIRST



A range designed to meet basic safety needs. The dual density PU sole, specially designed in perfect alignment with the axis of the foot, the extra wide toecap and the front/rear shock-absorbers mean the Start Up range offers comfort and safety at a great value.

ADVANTAGES OF THE RANGE:

- A very good fit to match the ergonomics of the foot
- Air System® lining offering good abrasion resistance, high absorptive capacity and antibacterial treatment
- Padded waterproof tongue or bellows
- Extra wide 200 joules steel toecap
- Front/rear shock-absorber sole
- Self-cleaning crampons
- Large weight-bearing sole area, excellent grip
- Sizes from 35 to 48

SUITABLE FOR INDOOR/OUTDOOR USE

- Automotive
- Civil engineering
- Stores
- Warehouses
- Workshops
- Lorry drivers



Front and back bumpers



Abrasion resistant and highly absorbent insole



Ventilated lining



Ultra-light PU double density sole

START UP



AERO UP

S1 CI SRC/ S1P CI SRC

REF.: 07850

- Perforated suede microfibre upper
- Air System® lining
- Steel 200 joules toe cap
- Steel midsole
- Latex on foam insole
- PU 2D sole
- EN ISO 20345:2011 SRC



REF.	DESCRIPTION	SIZE
1084801S / 1084903S	Aero Up	35-48



KART UP

S1P CI SRC

REF.: 07856

- Suede microfibre and breathable 3D type material upper
- Air System® lining
- Padded tongue
- Steel 200 joules toe cap
- Steel midsole
- Latex on foam insole
- PU 2D sole
- EN ISO 20345:2011 SRC



REF.	DESCRIPTION	SIZE
6270668	Kart Up	35-48



AIRMAX UP

S1 CI SRC/ S1P CI SRC

REF.: 07855

- Breathable 3D type material upper
- Air System® lining
- Padded tongue
- Steel 200 joules toe cap
- Steel midsole
- Latex on foam insole
- PU 2D sole
- EN ISO 20345:2011 SRC



REF.	DESCRIPTION	SIZE
1085003S/ 6270669	Airmax Up	35-48



START UP



COCKPIT NEW

S1 SRC

REF.: 07145

- Full printed leather upper
- Air System® lining
- Padded tongue
- Steel 200 joules toe cap
- Steel midsole
- Latex on foam insole
- PU 2D
- EN ISO 20345:2011 SRC



REF.	DESCRIPTION	SIZE
6270670	Cockpit New	35-48



STREAMER

S1 SRC

REF.: 07811

- Suede leather and 3D type material upper
- Air System® lining
- 3D type material padded tongue
- Steel 200 joules toe cap
- Steel midsole
- Latex on foam insole
- PU 2D sole
- EN ISO 20345:2011 SRC



REF.	DESCRIPTION	SIZE
6270671	Streamer	35-48



RACER

S1 CI SRC

REF.: 07812

- Suede leather and 3D type material upper
- Air System® lining
- 3D type material padded tongue
- Steel 200 joules toe cap
- Steel midsole
- Latex on foam insole
- PU 2D sole
- EN ISO 20345:2011 SRC



REF.	DESCRIPTION	SIZE
6270672	Racer	35-48



START UP



CONTACT

S3 CI SRC
REF.: 07820

- Water resistant full leather upper
- Air System® lining
- Padded breathable Mesh 3D material tongue
- Steel 200 joules toe cap
- Steel midsole
- Latex on foam insole
- PU 2D sole
- EN ISO 20345:2011 SRC



REF.	DESCRIPTION	SIZE
6270673	Contact	35-48



MONACO UP

S2 CI SRC / S3 CI SRC
REF.: 07165

- Water resistant microfibres and Cordura® upper
- Air System® lining
- Bellows padded tongue
- Steel 200 joules toe cap
- Steel midsole
- Latex on foam insole
- PU 2D sole
- EN ISO 20345:2011 SRC



REF.	DESCRIPTION	SIZE
1085101S / 6270674	Monaco Up	35-48



MELBOURNE UP

S2 CI SRC / S3 CI SRC
REF.: 07166

- Water resistant microfibres and Cordura® upper
- Air System® lining
- Bellows padded tongue
- Padded Cordura® ankle support
- Steel 200 joules toe cap
- Steel midsole
- Latex on foam insole
- PU 2D sole
- EN ISO 20345:2011 SRC



REF.	DESCRIPTION	SIZE
1085203S / 6270675	Melbourne Up	35-48



START UP

DINGO

S3 CI SRC
REF.: 07159

- Water resistant full supple nubuck leather upper
- Air System® lining
- Steel 200 joules toe cap
- Steel midsole
- Latex on foam insole
- PU 2D sole
- EN ISO 20345:2011 SRC



REF.	DESCRIPTION	SIZE
6270676	Dingo	37-47



KOALA

S3 CI SRC
REF.: 07160

- Water resistant full supple leather upper
- Air System® lining
- Steel 200 joules toe cap
- Steel midsole
- Latex on foam insole
- PU 2D sole
- EN ISO 20345:2011 SRC




REF.	DESCRIPTION	SIZE
6270680	Koala	37-47



SAFETY AND ELEGANCE

All the latest MTS technologies and high quality materials on classical and smart safety shoes, specially designed for men working in uniform. To be well protected, very comfortable and soberly dressed.



ADVANTAGES OF THE RANGE:

- Dual density injected PU outsole, ultralight and HI-Cl
- Slip resistance capacity SRC
- High quality materials
- Supple water resistant full smooth cow leather
- Lining "On Steam": hyper absorbent and desorbent material, comfortable and resistant, leather aspect
- Metal Free: made with no metal parts
- Lightweight and flexible: 100% composite
- Ergonomic shape for a great comfort
- Lightweight: less than 1 kg/pair

SUITABLE FOR INDOOR/ OUTDOOR USE

- Executives
- Service companies
- Security guards
- Airport security services and offices



PU foam "Soft Touch" anatomical insole



Ultra-light PU double density outsole

LONDON

FLEX S3 REF.: 19102

- Water resistant cow full smooth leather, very soft upper
- ON STEAM® perforated material, very comfortable, leather aspect lining
- Water resistant full smooth leather tongue
- Composite 200 joules Light System® toe cap
- Composite Flex System® midsole
- Thermoformed PU foam, anatomic, anti bacterial and antistatic insole
- PU 2D sole
- EN ISO 20345:2011 SRC



REF.	DESCRIPTION	SIZE
1044200S	London	38-47



PARIS

FLEX S3 REF.: 19101

- Water resistant cow full smooth leather, very soft upper
- ON STEAM® perforated material, very comfortable, leather aspect lining
- Water resistant full smooth leather tongue
- Composite 200 joules Light System® toe cap
- Composite Flex System® midsole
- Thermoformed PU foam, anatomic, anti bacterial and antistatic insole
- PU 2D sole
- EN ISO 20345:2011 SRC



REF.	DESCRIPTION	SIZE
1044300S	Paris	38-47



OPTIMAL PROTECTION IN HIGH-RISK ACTIVITIES

This range is dedicated to aggressive environments (heavy chemical industries, metallurgy, offshore and refineries) providing comfort, performance and durability. The premium raw materials have been selected to provide the best protection in harsh and tough environments, the non-metallic toe cap and anti-puncture midsole help ensure lightness and thermal insulation while the injected outsole brings flexibility and slip resistance on any surface. New generation of oil and gas products: no compromise between comfort, performance and durability.



SPECIFIC PATTERNS AND DESIGNS:

- Quick and easy fluid evacuation
- Durability with reinforced stitching
- No additional stitching on quarter to provide strong abrasion resistance



SPECIFIC FOCUS ON COMFORT:

- Padded and ergonomic collar
- 3D lining providing thermal insulation
- Technical insole removable, ergonomic, antistatic and antibacterial



INTEGRATION OF A LATERAL ZIPPER:

- Quick step in and out
- Water bellows for improved protection against fluids penetration



PERFORMANCE IN TOUGH AND HARSH ENVIRONMENTS:

- Exclusive injected PU2D outsole combining lightweight, excellent choc absorption, abrasion and slip resistance on any surface
- New (i)XTREM, hi-grip PU/Nitrile outsole combining excellent grip on all surfaces indoor and outdoor, grip coefficients exceed EN 20345:2011 standard requirements, non-slip cleats, prominent heel




SYNERGIC

S3 CI HI SRC

- Water-resistant full-grain leather upper
- Poromax® 3D lining: breathable, absorbent, fast drying
- Padded and ergonomic collar
- PU coated microfibre scuff cap
- Reflective piping at the heel
- Specific patterns for improved fluids evacuation
- PU2D injected outsole
- EN ISO 20345:2011



REF.	DESCRIPTION	SIZE
6246220	Synergic	35-49




ENERGIC

S3 CI HI SRC

- Water-resistant full-grain leather upper
- Poromax® 3D lining : breathable, absorbent, fast drying
- Padded and ergonomic collar
- PU coated microfibre scuff cap
- Lace and lateral zipper with watertight bellows
- Specific patterns for improved fluids evacuation
- PU2D injected outsole
- EN ISO 20345:2011



REF.	DESCRIPTION	SIZE
6246221	Energic	35-49



PROFESSIONAL FOOTWEAR FOR FIREFIGHTERS

Swift and agile in the heat of the action

We have developed a new range of technical footwear specially designed to meet the needs of firefighters during rescue and emergency activities. By collaborating with professional firefighters in their working environment, we have identified priority needs and working constraints. This has enabled us to develop a technical solution which helps in meeting their need for light, flexible and durable products (footwear) that react quickly in most situations.

Padded ergonomic collar and tongue

- Comfort and protection in all positions

SYMPATEX® Moisture Tech membrane

- Resists to liquid penetration
- Optimum perspiration treatment
- Fast-drying

Flame-resistant laces Central zipper

- For easy fitting
- Fast removal

Premium full grain leather

- Flame-resistant
- Water-repellent
- Oil-repellent
- Abrasion-resistant

Innovative over-cap, with no visible seams

- Increased abrasion resistance
- Flame resistant
- Resistant to fluids

200J Non-metallic toe cap (F2A) or flexible 500 N (F1PA) soft toe

- Lightweight
- Thermal insulating
- Non-magnetic
- Protection against shocks and pressure

Nitrile Hi3 outsole

- Abrasion-resistant
- Slip-resistant on all types of floors
- Resistant to hydrocarbons
- Heat resistant up to 300°C

Heel loop

- For easy fitting

Insole

- Removable
- Ergonomic
- Antibacterial
- Antistatic

Anti-puncture steel plate

- Optimum protection from risk of puncture by sharp and blunt objects

Polyurethane comfort layer

- Radiant heat resistant
- Resistant to hydrocarbons and acids at low concentration
- Very good shock absorption

The EN15090 Standard

Honeywell reminds you the meaning of the following pictograms on the upper portion of its boots and rangers (hot stamping):



F1PA:
F Compliant with all general requirements of the EN 15090 standard
1 Type 1 - Model made from leather and other materials
 Suitable for station-based activities, general rescue operations and for extinguishing fires of plant-based combustibles.
P Puncture resistance
A Antistatic properties



F2A:
F Compliant with all general requirements of the EN 15090 standard
2 Type 2 - Model made from leather and other materials
 Suitable for all fire rescue operations, extinguishing fires and preserving property in buildings, walled structures, vehicles, vessels, or other property affected by fire or an emergency situation
A Antistatic properties

FIREFIGHTERS RANGE



FIREPRO F2A

TYPE II - CATEGORY F2A

HI3 SRC

Recommended use: Extinguishing structural fires, fire rescue operations, preservation of property in fire or emergency situations, prolonged use in the presence of fluids and in wet environments.

- Membrane impermeabile e traspirante SYMPATEX® Moisture Tech
- Padded and ergonomic collar for improved comfort in any position



REF.	DESCRIPTION	SIZE
6246280	Firepro F2A	38-48



FIRESTORM F2A

TYPE II - CATEGORY F2A

HI3 SRC

Recommended use: Extinguishing structural fires, fire rescue operations, preservation of property in fire or emergency situations, prolonged use in the presence of fluids and in wet environments.

- Waterproof and breathable SYMPATEX® Moisture Tech membrane
- Easy fitting laces



REF.	DESCRIPTION	SIZE
6246281	Firestorm F2A	38-48



LONG-LASTING COMFORT, UNBEATABLE VALUE

At King's, we believe that safety footwear should offer three essential features: protection from foot injuries, a comfortable fit and long-lasting durability for cost efficiency.

For over 60 years, King's has manufactured high quality safety footwear at a great value to its users.



For over 60 years, King's has been manufacturing comfortable safety footwear with superior performance quality for rugged, industrial environments, providing protection against a variety of work hazards. Engineered to withstand tough conditions with a durable exterior and designed with a soft interior for lasting comfort throughout the workday, King's has redefined the standards for footwear innovation



KWD RANGE



KWD 106

S1P FO LG SR

NEW

- Full grain leather upper
- Elastic-sided boot with back pull-up strap for easy donning and doffing
- Padded ankle collar provides superior ankle comfort, support, and chafing prevention
- Dual density PU outsole with excellent antistatic properties
- Steel toe cap Offers protection against falling objects and enhanced toe bumper for added shoe front protection
- Recommended for: Mining, Manufacturing, General Industries, Utilities, Transportation, Logistics
- Available without steel midsole in style KWD106X (S1 FO LG SR)
- Certified as per EN ISO 20345:2022



REF.	DESCRIPTION	SIZE
KWD 106	CHELSEA SAFETY BOOT	36-48



KWD205

S1P FO LG SR

NEW

- Full grain leather upper
- Side pull-up straps for easy donning and doffing even when wearing gloves.
- Dual density PU outsole with excellent antistatic properties
- Steel toe cap offers protection against falling objects and enhanced toe bumper for added shoe front protection
- Recommended for: Construction, Mining, Manufacturing, Heavy and Light Industries, Utilities, Oil and Gas.
- Available without steel midsole in style KWD205X
- (Black) and KWD205CX (Brown) both colors available in S1 FO LG SR
- Certified as per EN ISO 20345:2022



REF.	DESCRIPTION	SIZE
KWD205	RIGGER SAFETY BOOT	36-48



KWD206

S1P FO LG SR

WITH SIDE ZIPPER

NEW

- Full grain leather upper
- Convenient, quick release side zip for easy donning and doffing
- Padded ankle collar provides superior ankle comfort, support, and chafing prevention.
- Dual density PU outsole with excellent antistatic properties
- Steel toe cap offers protection against falling objects and enhanced toe bumper for added shoe front protection
- Recommended for: Construction, Mining, Manufacturing, Heavy and Light Industries, Utilities, Oil and Gas.
- Available without steel midsole in style KWD206X
- Certified as per EN ISO 20345:2022



REF.	DESCRIPTION	SIZE
KWD206	ZIPPER SAFETY BOOT	36-48



KWD RANGE



KWD207

S1P FO LG SR

NEW

- Full grain leather upper
- Low-cut slip-on and elastic gussets for easy donning and doffing.
- Padded ankle collar provides superior ankle comfort, support, and chafing prevention..
- Dual density PU outsole with excellent antistatic properties
- Steel toe cap Offers protection against falling objects and enhanced toe bumper for added shoe front protection
- Recommended for: Mining, Manufacturing, General Industries, Utilities, Transportation, Logistics.
- Available without steel midsole in style KWD207X (S1 FO LG SR)
- Certified as per EN ISO 20345:2022



REF.	DESCRIPTION	SIZE
KWD207	SLIP ON SAFETY SHOE	36-48



KWD301

S1P FO LG SR

NEW

- Full grain leather upper
- Higher gusseted tongue minimises water and debris penetration into the shoe
- Dual density PU outsole with excellent antistatic properties
- Steel toe cap Offers protection against falling objects and enhanced toe bumper for added shoe front protection
- Padded ankle collar provides superior ankle comfort, support, and chafing prevention.
- Recommended for: Construction, Mining, Manufacturing, Light Industries, Utilities, Transportation, Logistics.
- Also available in Brown color (KWD301K)
- Available without steel midsole in style KWD301X (Black) and KWD301KX (Brown) both colors available in S1 FO LG SR
- Certified as per EN ISO 20345:2022



REF.	DESCRIPTION	SIZE
KWD301	MID-CUT LACE SAFETY BOOT	36-48



KWS200

S1P FO LG SR

NEW

- Full grain leather upper
- Wide profile steel toe cap for greater comfort
- Padded ankle collar for superior ankle comfort and support and to prevent chafing
- Single-density polyurethane (PU) sole
- Recommended for: manufacturing, general industry, utilities
- Available without steel midsole in style KWS200X (S1 version)
- Certified as per EN ISO 20345:2022



REF.	DESCRIPTION	SIZE
KWS200	LOW-CUT LACE SAFETY SHOE	36-48



KWX RANGE



KWX301

S3 FO LG SR

NEW

- Water-resistant full-grain leather upper; tough yet breathable
- Higher gusseted tongue minimises water and debris penetration into the shoes
- Dual density PU outsole with excellent antistatic properties
- Steel toe cap offers protection against falling objects and enhanced toe bumper for added shoe front protection
- Padded ankle collar provides superior ankle comfort, support, and chafing prevention.
- Recommended for: Construction, Mining, Manufacturing, Heavy Industries, Oil and Gas
- Also available in Brown color (KWX301K)
- Available without steel midsole in style KWX301X (Black) and KWX301KX (Brown) both colors available in S2 FO LG SR.
- Certified as per EN ISO 20345:2022



REF.	DESCRIPTION	SIZE
KWX301	KWX MID CUT SAFETY BOOT	36-48



NEW

KWX205

S3 FO LG SR

- Water resistant Full grain leather upper
- Side pull-up straps for easy donning and doffing even when wearing gloves.
- Dual density PU outsole with excellent antistatic properties
- Steel toe cap offers protection against falling objects and enhanced toe bumper for added shoe front protection
- Recommended for: Construction, Mining, Manufacturing, Heavy and Light Industries, Utilities, Oil and Gas.
- Also available in Brown color KWX205K
- Available without steel midsole in style KWX205X (Black) and KWX205KX (Brown) both colors available in S2 FO LG SR
- Certified as per EN ISO 20345:2022



REF.	DESCRIPTION	SIZE
KWX205	KWX RIGGER SAFETY BOOT	36-48



95 SERIES



9521 LOW CUT LACED SHOE

S1P SRC

NEW

- Leather upper
- Steel toe cap - 200 J - Impact resistant
- Puncture resistant steel midsole insert
- Lightweight, slip resistant, single density polyurethane (PU) sole
- Provides impact cushioning for the whole foot
- Ergonomic and comfort EVA for the entire foot
- Resistant to oils, acids and alkalis
- Anti-static
- Also available in Midcut (SKU:9525)



REF.	DESCRIPTION	SIZE
9525	95 LOW CUT S1P SHOE	35-48



9535


S3 SRC

NEW

- Water resistant Leather upper
- Steel toe cap - 200 J - Impact resistant
- Puncture resistant steel midsole insert
- Lightweight, slip resistant, single density polyurethane (PU) sole
- Provides impact cushioning for the whole foot
- Ergonomic and comfort EVA for the entire foot
- Resistant to oils, acids and alkalis
- Anti-static
- Also available in low cut (SKU:9531)



REF.	DESCRIPTION	SIZE
9535	95 MID CUT S3 SHOE	38-48



SHOES THAT WITHSTAND EXTREME TEMPERATURES

With the NIT'LITE® range, our team have created the nitrile rubber shoe sole with an expanded cellular structure, for greater lightness and comfort. The nitrile sole offers great resistance to extreme temperatures (up to 300°C), to fuel and hydrolysis. The comfort is unmatched thanks to the lightness and elasticity offered by NIT'LITE®.



WELD MID

S3 M HI CI HRO SRC

- Black pigmented leather upper
- Padded ankle collar for ankle protection
- Outsole resistance up to 300°C, resistance to fuel oil
- Fibreglass metatarsal protection
- Steel toe cap, resistant to impact of 200 Joules and crushing of 15kN
- Closed heel area
- Antistatic properties
- Heel energy absorption
- Anti-puncture resistance (P)
- EN ISO 20345:2011 S3 HI CI HRO SRC
- EN ISO 20349-2+A1:2020 WG



REF.	DESCRIPTION	SIZE
6227314	WELD MID	38-47



WELD HIGH

S3 M HI CI HRO SRC

- Black pigmented leather upper
- Padded ankle collar for ankle protection
- Outsole resistance to upto 300c, resistance to fuel oil
- Fibreglass metatarsal protection
- Steel toe cap, resistant to an impact of 200 joules and crushing of 15kN
- Steel toe cap
- Closed heel area
- Antistatic properties
- Heel energy absorption
- Resistance to fuel oil
- Anti-puncture resistance (P)
- EN ISO 20345:2011 S3 HI CI HRO SRC
- EN ISO 20349-1+A1:2020 AI Fe Hi3



REF.	DESCRIPTION	SIZE
6227313	WELD HIGH	38-47



MAXI BOOT EVO

S3 HRO SRC

- Black pigmented leather upper
- Padded ankle collar for ankle protection
- Resistant to fluid spillages
- Outsole resistance up to 300°C, resistance to fuel oil
- Steel toe cap resistant to an impact of 200 Joules and crushing of 15 kN
- Closed heel area
- Antistatic properties
- Water penetration and absorption
- Anti-puncture resistance
- Cleated outsole
- EN ISO 20345:2011 S3 HRO SRC



REF.	DESCRIPTION	SIZE
6245896	MAXI BOOT EVO	38-47



TRAINING LUX EVO

S3 HRO SRC

- Water-resistant black full-grain leather upper
- Ideal for chemical industry and assembly work
- Outsole resistance up to 300°C, resistance to fuel oil
- Toe cap resistant to an impact of 200 Joules and crushing of 15 kN
- Closed heel area
- Antistatic properties
- Water penetration and absorption
- Anti-puncture resistance
- Cleated outsole
- EN ISO 20345:2011 S3 HRO SRC



REF.	DESCRIPTION	SIZE
6245897	Training Lux Evo	38-47



HORALO EVO

S1P HRO SRC

- Mid-cut style
- Black pigmented leather upper
- Padded ankle collar for ankle protection
- Leather flap fastening, spark guard with two quick-release buckles
- Quick and easy to remove in the event of risk of burning
- Outsole resistance up to 300°C, resistance to fuel oil
- Steel toe cap resistant to an impact of 200 Joules and crushing of 15 kN
- Closed heel area
- Antistatic properties
- Anti-puncture resistance (P)
- EN ISO 20345:2011 S1P HRO SRC



REF.	DESCRIPTION	SIZE
6245895	Horalo Evo	38-47



SUPER BOOT EVO

S1P HRO SRC

- Mid-cut style
- Black pigmented leather upper
- Padded ankle collar for ankle protection
- Outsole resistance up to 300°C, resistance to fuel oil
- Steel toe cap resistant to an impact of 200 Joules and crushing of 15 kN
- Closed heel area
- Antistatic properties
- Anti-puncture resistance (P)
- EN ISO 20345:2011 S1P HRO SRC



REF.	DESCRIPTION	SIZE
6245894	Super Boot Evo	38-47



RIGGER EVO

S3 HRO SRC

- High boot style
- Water-resistant full-grain leather
- Pull-on lugs
- Ideal for the metal industry
- Resistant to fluid spillages
- Outsole resistance up to 300°C, resistance to fuel oil
- Steel toe cap resistant to an impact of 200 Joules and crushing of 15 kN
- Closed heel area
- Antistatic properties
- Water penetration and absorption
- Anti-puncture resistance
- Cleated outsole
- HRO marking: resistance to hot contact
- EN ISO 20345:2011 S3 HRO SRC



REF.	DESCRIPTION	SIZE
6245898	Rigger Evo	38-47



HYGIENE, COMFORT AND GRIP




The King's teams have created a range dedicated to the needs of the food, catering and advanced technology industries. All models in the white range are manufactured with materials that resist to diluted chemicals and fatty substances. The design of the upper has been studied to help restrict the proliferation of bacterial outbreaks and facilitate the evacuation of fluids.

CLOG OB

OB A E FO SRC ESD

- 100% non metallic with plastic stud fastener.
- Slip resistant outsole to prevent slips and trips on ceramic and steel surfaces
- Suitable for use in ESD environments.
- Washable
- Unisex



REF.	DESCRIPTION	SIZE
6551710	Clog OB	35-50

SLIPON S2

S2 SRC ESD

- Light weight, shock absorbing single density polyurethane (PU) sole for added comfort.
- Anti corrosion Steel made, Impact resistant until 200 J and compression resistant until 1500 kg
- Excellent slip resistant sole; SRC slip resistant classification. Anti-static.
- Hydrophobic microfibre 1.9mm upper, increases resistance and breathability
- Velcro strap slip on for fastening



REF.	DESCRIPTION	SIZE
6551711	SLIPON S2	35-50

MID CUT BOOT WITH ZIPPER

S2 SRC ESD

- Light weight, shock absorbing single density polyurethane (PU) sole for added comfort.
- Anti corrosion Steel made, Impact resistant until 200 J and compression resistant until 1500 kg
- Excellent slip resistant sole; SRC slip resistant classification. Anti-static.
- Hydrophobic microfibre 1.9mm upper, increases resistance and breathability
- Zip in front for fastening



REF.	DESCRIPTION	SIZE
6551712	Mid Cut Boot With Zipper	35-50

SANDAL S1

S1 SRC ESD

- Light weight, shock absorbing single density polyurethane (PU) sole for added comfort.
- Anti corrosion Steel made, Impact resistant until 200 J and compression resistant until 1500 kg
- Excellent slip resistant sole; SRC slip resistant classification. Anti-static.
- Hydrophobic microfibre 1.9mm upper, increases resistance and breathability
- Ultimate air circulation for breathability



REF.	DESCRIPTION	SIZE
6551713	SANDAL S1	35-50




SANDAL S1P

S1P SRC ESD

- Light weight, shock absorbing single density polyurethane (PU) sole for added comfort.
- Anti corrosion Steel made, Impact resistant until 200 J and compression resistant until 1500 kg
- Excellent slip resistant sole; SRC slip resistant classification. Anti-static.
- Hydrophobic microfibre 1.9mm upper, increases resistance and breathability
- Ultimate air circulation for breathability



REF.	DESCRIPTION	SIZE
6551714	SANDAL S1P	35-50



BACOU LACES

- A wide range of laces, for proper fit
- Box of 25 pairs



REF.	MATERIAL	COLOUR	75 CM	90 CM	115 CM	120 CM	150 CM
60 006 04	Leather	Black			X		
60 006 01	Polyamide	Black	X				
60 006 07	Polyamide	Black		X			
60 006 08	Polyamide	Black				X	
60 006 09	Polyamide	Black					X
60 006 02	Polyamide	Grey		X			

BACOU THERMAL OVERSOCKS

- Warm acrylic fibres on polyester jersey
- Protects the foot and lower leg from cold
- Ideal in cold and wet work environments

REF.	DESCRIPTION	SIZE
6000401	Bacou Thermal Oversocks	35-47



OTTER PROFESSIONAL SOCKS WORKING

- 55% cotton / 25% polyester (Coolmax®) 12% polyamide (e) / 6% polyamide (e) (CORDURA®) / 2% elastane
- Anatomically shaped footbed optimal on the left and right foot matched
- Terrycloth sole for additional comfort
- Climate regulating Coolmax® yarn for comfortably dry feet
- Pre washed and shrink proof, washable at 30 C
- ESD capable
- Available sizes: 35 38/39 42/43 46/47 50

REF.	DESCRIPTION	SIZE
99915	OTTER professional socks Working	35-50



OTTER WORK SOCKS THERMO

- 35% wool / 20% polyester (Coolmax®) 28% polyamide (e) / 14% cotton / 6% polyamide (e) / 3% elastane
- Anatomically shaped footbed optimal on the left and right foot matched
- Terrycloth sole for additional comfort
- Climate regulating Coolmax® yarn for comfortably dry feet
- Pre washed and shrink proof, washable at 30 C
- ESD capable
- Available sizes: 35 38/39 42/43 46/47 50




















































REF.	DESCRIPTION	SIZE
99916	OTTER work socks Thermo	35-50



INSOCKS TABLE

RANGE		INSOLE SKU	MATERIAL NAME
AGILE	Narrow	6551640	Insock Narrow Ultimate / Agile
	Standard	6551638	Insock Std Ultimate / Agile S1P
	Standard	6551654	Insock Std Agile S3 anti-bacterial ESD
	Standard	6551641	Insock Std Grey Ultimate - ProClean
	Wide	6551639	Insock Wide Ultimate / Agile
	DGUV		Orthopedic insock – A200
	DGUV		Orthopedic insock – A200
ATHLETIC	Standard	6551653	Insock Std Athletic
COCOON EVO	Standard	6551652	Insock Std Rose Cocoon Evo Coral/Shell
	Standard	6551651	Insock Std Black Cocoon Evo Stretch
OTTER FLEX	Narrow	6551649	Insock Narrow Otter Flex
	Standard	6551647	Insock Std Otter Flex Breathers
	Standard	6551645	Insock Std Otter Flex Expr/Adjs/Mvr/Shpr
	Standard	6551646	Insock Std Otter Flex Advancers
	Wide	6551648	Insock Wide Otter Flex
	DGUV		Orthopedic insock – A200
	DGUV		Orthopedic insock – A200
OTTER PREMIUM	Gel	6551637	Insock Acc Otter Premium (Gel)
	Narrow	70010	Insock Narrow Otter Premium
	Standard	70011	Insock Standard Otter Premium
	Wide	70012	Insock Wide Otter Premium
	DGUV		Orthopedic insock – A200
	DGUV		Orthopedic insock – A200

CATALOG ICONS

 Metal free	 Washable at 120 C	 Antibacterial
 Steel	 Heat resistant 300 C	 Metatarsal protection
 Composite	 Cold insulated	 Anti-puncture
 Aluminium	 Zip Sided	 DGUV 112-191
 Anti-perforation	 Waterproof	 MFUS
 Steel Perforation Resistant insert	 Oil & Fuel Resistant	 Wear-off indicators
 Insole	 Antistatic	 Washable at 40 C
 Metal free	 Wide insole	 NATUREform WIDE TOE CAP
 Breathability	 Standard insole	 Water resistant upper
 ESD	 Narrow insole	 Non-metallic composite
 Water resistant	 Bump cap	 SOFTstride Contour
 Lightweight	 Scuff cap	 Antimicrobial technology
 Soft cleaning sole	 Comfort footbed	 Abrasion resistant
 Cut resistant sole	 Slip resistant sole	 Oils & acids resistant
 Oils & fats resistant	 Electrical hazard resistant	 Steel safety toecap
 Toe bumper	 Nanolite Footbed	 Heelguard
 Snug fit heel contour system	 Antistatic discharge	 Heel energy absorption

MERCHANDISING OPTIONS

FOOT SCANNER

- Scan&Match 3D scanner
- Capture your foot data in 3d
- Check Shape, size to arch and pressure points
- Scanner records every detail of your feet in less than a minute
- Wear washable and step onto the scanner
- View, Save and Email multiple scan records of your team members



DISPLAY STAND

- Made of cardboard
- Lightweight, Easy to assemble
- Assembly video available
- Each shelf can take weight up to 4.4 lb (2 kg)
- Size in feet: 2.13 x 1.31 x 5.90
Size in cm: 65 x 40 x 180
- Branding is changeable and can be rebranded
- Counter display also available in smaller size



Contact details for orders: team.honeywell@rainbowidea.com

CUSHION SEAT

- Made of foam
- These cubes are for adults and have a height of 45 cm
- Made of polyurethane foam elements
- Comfortable and easy to transport
- Possible to customize the branding



Contact details for orders: team.honeywell@rainbowidea.com

DISCLAIMER

The Honeywell safety shoe range is now being categorized into our four brands and will be sold under the respective brand name. Logo and product name on the shoe design will change by end of 2025. The shoe range has been classified under the new brand names in this version of the catalog.

We are regularly updating our portfolio and Honeywell Safety products reserves the right to make changes to any of its products.

Some of our products are made on demand and may have longer delivery time.

Certification of some products is under process and final certification of these products is updated on the digital version of the catalog.

For any updates and changes in this catalog, please access the digital version of this catalog or get in touch with your respective sales person.

All images used in this catalog are for reference only. Actual product colors and design may slightly differ.

Please get in touch with respective sales representative to check the updated details of the product before ordering.

PAGE NO.	BRAND	RANGE	MODEL NAME	SKU	SIZE	STYLE	STANDARD	UPPER MATERIAL	OUTSOLE	TOE CAP	INSERTS	DGUV CERTIFIED
10	OLIVER	65 SERIES	65-791 - 350MM BLACK LACE IN ZIP MINING BOOT	65791-BLK	36-51	HIGH	S3 M HRO SRC	LEATHER	PU/RUBBER	STEEL	NON METALLIC	
10	OLIVER	65 SERIES	65-493- 240MM BROWN PULL-ON RIGGERS BOOT	65493-BRN	36-51	HIGH	S3 M HRO SRC	LEATHER	PU/RUBBER	STEEL	NON METALLIC	
10	OLIVER	65 SERIES	65-490 - 150MM BROWN LACE-UP BOOT	65490-BRN	36-51	MID	S3 HRO SRC	LEATHER	PU/RUBBER	STEEL	NON METALLIC	
11	OLIVER	55SERIES	55-320 - BLACK ELASTIC SIDE BOOT	55320-BLK	36-51	MID	S2 HRO SRC	LEATHER	PU/RUBBER	STEEL		
11	OLIVER	55SERIES	55-336- 150MM WHEAT LACEUP BOOT WITH PENETRATION PROTECTION	55336-WHT	36-51	MID	SB P M WRU HRO FO E SRC	LEATHER	PU/RUBBER	STEEL	NON METALLIC	
11	OLIVER	55SERIES	55332-150MM WHEAT LACE UP BOOT	55332-WHT	36-51	MID	S2 HRO SRC	LEATHER	PU/RUBBER	STEEL		
12	OLIVER	55SERIES	55332Z-150MM WHEAT LACE UP BOOT WITH ZIP	55332Z-WHT	36-51	MID	S2 HRO SRC	LEATHER	PU/RUBBER	STEEL		
12	OLIVER	55SERIES	55-385 - 200MM HI-LEG WHEAT ZIP SIDED BOOT	55385-WHT	36-51	HIGH	S2 HRO SRC	LEATHER	PU/RUBBER	STEEL		
12	OLIVER	55SERIES	55-380 - 200MM HI-LEG WHEAT ZIP SIDED BOOT	55380-BLK	36-51	HIGH	S2 HRO SRC	LEATHER	PU/RUBBER	STEEL		
13	OLIVER	45 SERIES	45-632Z- 150MM WHEAT ZIP SIDED BOOT	45632Z-WHT	38-49	MID	SB WRU FO E SRB	LEATHER	TPU/PU	COMPOSITE		
13	OLIVER	45 SERIES	45-645Z- 150MM BLACK ZIP SIDED BOOT	45645Z-BLK	38-49	MID	SB WRU FO E SRC	LEATHER	TPU/PU	COMPOSITE		
13	OLIVER	45 SERIES	45-632 150MM WHEAT LACE UP BOOT	45632-WHT	38-49	MID	SB WRU FO E SRB	LEATHER	TPU/PU	COMPOSITE		
14	OLIVER	45 SERIES	45-650Z 150MM	45650Z-STE	38-49	MID	SB WRU FO E SRB	LEATHER	TPU/PU	COMPOSITE		
15	OLIVER	GUMBOOTS	GUMBOOTS GREEN PU	24205-GRN	38-48	HIGH	S5 CI SR FO	PU	PU	STEEL	METALLIC	
15	OLIVER	GUMBOOTS	GUMBOOTS WHITE PU	24210-WTE	38-48	HIGH	S5 CI SR FO	PU	PU	STEEL	METALLIC	
15	OLIVER	GUMBOOTS	GUMBOOTS GREY PVC	22205-GRY	38-48	HIGH	SB P M E SRC FO	PVC	PVC/NITRILE	STEEL	METALLIC	
20	OLIVER	COCOON EVO	CORAL	6551612	35-42	LOW	S1P HI CI SRC ESD	LEATHER WITH MESH TEXTILE	EVA/TPU	COMPOSITE	NON METALLIC	
20	OLIVER	COCOON EVO	CORAL MID	6551613	35-42	MID	S1P HI CI SRC ESD	LEATHER	TPU	COMPOSITE	NON METALLIC	
20	OLIVER	COCOON EVO	STRETCH	6551616	35-42	LOW	S3 HI CI SRC ESD	TEXTILE	EVA/TPU	COMPOSITE	NON METALLIC	
22	OLIVER	COCOON EVO	SILVER	6552001	35-42	LOW	S1P HI CI SRC ESD	LEATHER WITH MESH TEXTILE	EVA/TPU	COMPOSITE	NON METALLIC	
22	OLIVER	COCOON EVO	SILVER MID	6552002	35-42	MID	S1P HI CI SRC ESD	LEATHER WITH MESH TEXTILE	EVA/TPU	COMPOSITE	NON METALLIC	
22	OLIVER	COCOON EVO	SHARK	6552003	35-42	LOW	S1P HI CI SRC ESD	TEXTILE	EVA/TPU	COMPOSITE	NON METALLIC	
23	OLIVER	COCOON EVO	SHELL MID FLS	6552004	35-42	MID	S3 HI CI SRC ESD	LEATHER	EVA/TPU	COMPOSITE	NON METALLIC	
27	OLIVER	AGILE	STARTER YELLOW	6250126	35-49	LOW	S1P HRO SRC	TEXTILE WITH MICROFIBER	EVA/RUBBER	FIBREGLASS	NON METALLIC	YES

PAGE NO.	BRAND	RANGE	MODEL NAME	SKU	SIZE	STYLE	STANDARD	UPPER MATERIAL	OUTSOLE	TOE CAP	INSERTS	DGUV CERTIFIED
27	OLIVER	AGILE	STARTER BLUE	6250127	35-49	LOW	S1P HRO SRC	TEXTILE WITH MICROFIBER	EVA/RUBBER	FIBREGLASS	NON METALLIC	YES
27	OLIVER	AGILE	STARTER MID YELLOW	6250128	35-49	MID	S1P HRO SRC	TEXTILE WITH MICROFIBER	EVA/RUBBER	FIBREGLASS	NON METALLIC	YES
28	OLIVER	AGILE	STARTER MID BLUE	6250129	35-49	MID	S1P HRO SRC	TEXTILE WITH MICROFIBER	EVA/RUBBER	FIBREGLASS	NON METALLIC	YES
28	OLIVER	AGILE	RUNNER BLUE	6250123	35-49	LOW	S3 HRO SRC ESD	TEXTILE WITH TPU	EVA/RUBBER	FIBREGLASS	NON METALLIC	YES
28	OLIVER	AGILE	RUNNER MID BLUE	6250125	35-49	MID	S3 HRO SRC ESD	TEXTILE WITH TPU	EVA/RUBBER	FIBREGLASS	NON METALLIC	YES
30	OLIVER	ST40	ST40 BLACK FLYNIT	40805-BLK	35-49	LOW	S1P HRO SRC ESD	TEXTILE	EVA/RUBBER	COMPOSITE	NON METALLIC	YES
30	OLIVER	ST40	ST40 BLACK JOGGER	40815-BLK	35-49	LOW	S3 HRO SRC ESD ESD	TEXTILE WITH TPU	EVA/RUBBER	COMPOSITE	NON METALLIC	YES
30	OLIVER	ST40	ST40 BLACK JOGGER ANKLE BOOT	40825-BLK	35-49	MID	S3 HRO SRC ESD ESD	TEXTILE WITH TPU	EVA/RUBBER	COMPOSITE	NON METALLIC	YES
31	OLIVER	AGILE	RUNNER MID BLUE FLS	6552400	35-49	MID	S3 HRO SRC ESD	TEXTILE WITH TPU	EVA/RUBBER	FIBREGLASS	NON METALLIC	YES
31	OLIVER	AGILE	SPRINTER YELLOW FLS	6552401	35-49	LOW	S1P HRO SRC ESD	TEXTILE WITH TPU	EVA/RUBBER	FIBREGLASS	NON METALLIC	YES
36	OTTER	OTTER PREMIUM	GUARD	6551620	36-48	LOW	S3 HI HRO SRC ESD	LEATHER	NITRILE/PU	STEEL	METALLIC	YES
36	OTTER	OTTER PREMIUM	GUARD MID	6551621	36-48	MID	S3 HI HRO SRC ESD	LEATHER	NITRILE/PU	STEEL	METALLIC	YES
36	OTTER	OTTER PREMIUM	GUARD ICE	6551622	36-48	HIGH	S3 HI CI HRO SRC ESD	LEATHER	NITRILE/PU	STEEL	METALLIC	YES
37	OTTER	OTTER PREMIUM	GUARD MID WR	6551703	36-48	MID	S3 HI CI WR HRO SRC ESD	LEATHER	NITRILE/PU	STEEL	METALLIC	YES
37	OTTER	OTTER PREMIUM	GUARD WR	6551704	36-48	LOW	S3 HI CI WR HRO SRC ESD	LEATHER	NITRILE/PU	STEEL	METALLIC	YES
37	OTTER	OTTER PREMIUM	GUARD SPLASH WR	6552100	36-48	HIGH	S3 WR HI CI HRO SRC ESD	LEATHER	NITRILE/PU	STEEL	METALLIC	YES
38	OTTER	OTTER PREMIUM	SHIELD	6551623	36-48	LOW	S3 CI W G HI WRU HRO SRC	LEATHER	NITRILE/PU	STEEL	METALLIC	YES
43	OTTER	OTTER FLEX	BREATHER MFUS	6551627	35-49	LOW	S2 SRC ESD	TEXTILE	TPU/PU	COMPOSITE	NON METALLIC	YES
43	OTTER	OTTER FLEX	BREATHER MID	6551626	35-49	MID	S3 SRC ESD	TEXTILE	TPU/PU	COMPOSITE	NON METALLIC	YES
43	OTTER	OTTER FLEX	EXPANDER	6551628	35-49	SANDAL	S1 SRC ESD	LEATHER	TPU/PU	COMPOSITE	NON METALLIC	YES
44	OTTER	OTTER FLEX	BREATHER MFUS S1P	6270626	35-47	LOW	S1P HI CI SRC ESD	TEXTILE	TPU/PU	COMPOSITE	NON METALLIC	YES
44	OTTER	OTTER FLEX	BREATHER MID S1P	6270627	35-47	MID	S1P HI CI SRC ESD	TEXTILE	TPU/PU	COMPOSITE	NON METALLIC	YES
46	OTTER	ATHLETIC	ASCENDER	6243850	37-47	LOW	S3S CI FO SR	LEATHER AND TEXTIL	TPU/PU	COMPOSITE	NON METALLIC	YES
46	OTTER	ATHLETIC	ASCENDER MID	6243851	37-47	MID	S3S CI FO SR	LEATHER AND TEXTIL	TPU/PU	COMPOSITE	NON METALLIC	YES
46	OTTER	ATHLETIC	FRESCO	6243854	37-47	LOW	S1PS CI FO SR	SUEDE LEATHER AND MESH UPPER	TPU/PU	COMPOSITE	NON METALLIC	YES

PAGE NO.	BRAND	RANGE	MODEL NAME	SKU	SIZE	STYLE	STANDARD	UPPER MATERIAL	OUTSOLE	TOE CAP	INSERTS	DGUV CERTIFIED
50	MTS	SPORTY RANGE	FIT	6270616	35-50	LOW	S3S HI CI FO SR ESD	TEXTILE	PUJ/PU	COMPOSITE	NON METALLIC	YES
50	MTS	SPORTY RANGE	FAST	6270617	35-50	LOW	S3S HI CI FO SR ESD	TEXTILE WITH TPU	PUJ/PU	COMPOSITE	NON METALLIC	YES
50	MTS	SPORTY RANGE	STORE	6270618	35-50	LOW	S1 PS HI CI FO SR ESD	TEXTILE	PUJ/PU	COMPOSITE	NON METALLIC	YES
50	MTS	SPORTY RANGE	STORE XXL	6270624	35-50	LOW	S1 PS HI CI FO SR ESD	TEXTILE, MICROFIBER	PUJ/PU	COMPOSITE	NON METALLIC	YES
51	MTS	SPORTY RANGE	STEP	6270620	35-50	MID	S1 PS HI CI FO SR ESD	TEXTILE	PUJ/PU	COMPOSITE	NON METALLIC	YES
51	MTS	SPORTY RANGE	TRACK	6270621	35-50	MID	S3S HI CI FO SR ESD	MICROFIBER	PUJ/PU	COMPOSITE	NON METALLIC	YES
51	MTS	SPORTY RANGE	TRAIL	6270619	35-50	LOW	S3S HI CI FO SR ESD	MICROFIBER	PUJ/PU	COMPOSITE	NON METALLIC	YES
51	MTS	SPORTY RANGE	STEP XXL	6270625	35-50	MID	S1 PS HI CI FO SR ESD	TEXTILE, MICROFIBER	PUJ/PU	COMPOSITE	NON METALLIC	YES
51	MTS	SPORTY RANGE	TRACK XXL	6270623	35-50	MID	S3S HI CI FO SR ESD	TEXTILE, MICROFIBER	PUJ/PU	COMPOSITE	NON METALLIC	YES
51	MTS	SPORTY RANGE	TRAIL XXL	6270622	35-50	LOW	S3S HI CI FO SR ESD	TEXTILE, MICROFIBER	PUJ/PU	COMPOSITE	NON METALLIC	YES
53	MTS	M-SOFT	CURTIS ESD	6270688	35-48	LOW	S3 HI CI SRC ESD	LEATHER	PUJ/PU	COMPOSITE	NON METALLIC	YES
53	MTS	M-SOFT	VICKERS ESD	6270687	35-48	MID	S3 HI CI SRC ESD	LEATHER	PUJ/PU	COMPOSITE	NON METALLIC	YES
53	MTS	M-SOFT	SWIFT	1089103S	35-48	LOW	S3 HI CI SRC ESD	MICROFIBER	PUJ/PU	COMPOSITE	NON METALLIC	
54	MTS	M-SOFT	ELFIE	6270640	35-42	LOW	S3 HI CI SRC ESD	MICROFIBER	PUJ/PU	COMPOSITE	NON METALLIC	
54	MTS	M-SOFT	AURELIE	1058803S	35-42	LOW	S3 HI CI SRC ESD	LEATHER	PUJ/PU	COMPOSITE	NON METALLIC	
54	MTS	M-SOFT	LUCIE	1048303S	35-48	MID	S3 HI CI SRC ESD	LEATHER	PUJ/PU	COMPOSITE	NON METALLIC	
55	MTS	M-SOFT	JET ESD	6270661	35-48	SANDAL	S3 HI CI SRC ESD	LEATHER	PUJ/PU	COMPOSITE	NON METALLIC	
55	MTS	M-SOFT	AIR SPEED ESD	1097901S	35-48	LOW	S1 HI SRC ESD	MICROFIBER	PUJ/PU	COMPOSITE		
55	MTS	M-SOFT	MUSTANG	6270677	35-48	LOW	S1 HI CI SRC	LEATHER	PUJ/PU			YES
55	MTS	M-SOFT	MUSTANG S1P	6226101	35-48	LOW	S1P HI CI SRC	LEATHER	PUJ/PU	COMPOSITE		YES
57	MTS	WHITE	HYDRA	1066400S	35-48	LOW	S2 HI CI FO SR	MICROFIBER	PUJ/PU	COMPOSITE		
57	MTS	WHITE	LUNA+	120201	35-49	LOW	S2 HI CI FO SR	MICROFIBER	PUJ/PU	COMPOSITE		
57	MTS	WHITE	ANDROS+	120301	35-48	MID	S2 HI CI FO SR	MICROFIBER	PUJ/PU	COMPOSITE		
58	MTS	WHITE	FREEZE OVERCAP	1096001S	35-48	LOW	S2 HI CI SRC	MICROFIBER	PUJ/PU	COMPOSITE		
58	MTS	WHITE	FROST OVERCAP	6270662	35-48	MID	S2 HI CI SRC	MICROFIBER	PUJ/PU	COMPOSITE		
58	MTS	WHITE	NUCLEAR WEAR	6270681	35-50	LOW	S1PS HI CI FO LG SR	MICROFIBER	PUJ/PU	COMPOSITE	NON METALLIC	
59	MTS	WHITE	VESTA+	125900	35-48	LOW	S2 HI CI FO SR	MICROFIBER	PUJ/PU	COMPOSITE		

PAGE NO.	BRAND	RANGE	MODEL NAME	SKU	SIZE	STYLE	STANDARD	UPPER MATERIAL	OUTSOLE	TOE CAP	INSERTS	DGUV CERTIFIED
61	MTS	ELLE-M	LINER	1071103S	35-42	LOW	S3 HI CI SRC	LEATHER	PU/PU	STEEL	NON METALLIC	
62	MTS	ELLE-M	SLIM	1071303S	35-42	LOW	S3 HI CI SRC	MICROFIBER	PU/PU	STEEL	NON METALLIC	
62	MTS	ELLE-M	MASCARA	1092303S	35-42	LOW	S1P HI CI SRC	LEATHER	PU/PU	STEEL	NON METALLIC	
62	MTS	ELLE-M	GLAM	1073803S	35-42	MID	S3 HI CI SRC	LEATHER	PU/PU	STEEL	NON METALLIC	
65	MTS	ULTIMATE FW	JUMP	6246165	35-49	LOW	S3 HI CI SRC ESD	LEATHER	PU/PU	COMPOSITE	NON METALLIC	YES
65	MTS	ULTIMATE FW	JUMP MID	6246166	35-49	MID	S3 HI CI SRC ESD	LEATHER	PU/PU	COMPOSITE	NON METALLIC	YES
65	MTS	ULTIMATE FW	SQUAT	6246169	35-49	LOW	S1P HI CI SRC ESD	MICROFIBER	PU/PU	COMPOSITE	NON METALLIC	YES
66	MTS	ULTIMATE FW	SQUAT MID	6246183	35-49	MID	S1P HI CI SRC ESD	MICROFIBER	PU/PU	COMPOSITE	NON METALLIC	YES
66	MTS	ULTIMATE FW	PRIME	6246172	35-49	LOW	S3 HI CI SRC ESD	MICROFIBER	PU/TPU	COMPOSITE	NON METALLIC	YES
66	MTS	ULTIMATE FW	PRIME MID	6246173	35-49	MID	S3 HI CI SRC ESD	MICROFIBER	PU/TPU	COMPOSITE	NON METALLIC	YES
67	MTS	ULTIMATE FW	SPRINT	6246163	35-49	LOW	S3 HI CI SRC ESD	LEATHER	PU/PU	COMPOSITE	NON METALLIC	YES
67	MTS	ULTIMATE FW	SPRINT FLS	6270652	35-49	LOW	S3S HI CI FO SR	LEATHER	PU/PU	COMPOSITE	NON METALLIC	YES
67	MTS	ULTIMATE FW	SPRINT MID	6246164	35-49	MID	S3 HI CI SRC ESD	LEATHER	PU/PU	COMPOSITE	NON METALLIC	YES
67	MTS	ULTIMATE FW	SPRINT MID FLS	6270651	35-49	MID	S3S HI CI FO SR	LEATHER	PU/PU	COMPOSITE	NON METALLIC	YES
67	MTS	ULTIMATE FW	BOSS	6246174	35-49	LOW	S1P HI SRC ESD	MICROFIBER	PU/TPU	COMPOSITE	NON METALLIC	YES
68	MTS	ULTIMATE FW	MOVE	6246176	35-49	LOW	S3 HI CI SRC ESD	MICROFIBER	PU/TPU	COMPOSITE	NON METALLIC	YES
68	MTS	ULTIMATE FW	MOVE MID	6246177	35-49	MID	S3 HI CI SRC ESD	MICROFIBER	PU/TPU	COMPOSITE	NON METALLIC	YES
73	MTS	ULTIMATE STEEL	PLATEO EVO	6246186	35-49	LOW	S3 HI CI FO SR	LEATHER	PU/PU	COMPOSITE	METALLIC	
73	MTS	ULTIMATE STEEL	PLOMITA EVO	6246187	35-49	MID	S3 HI CI FO SR	LEATHER	PU/PU	COMPOSITE	METALLIC	
73	MTS	ULTIMATE STEEL	SINRA EVO	6246185	35-49	MID	S3 HI CI FO SR	LEATHER	PU/PU	COMPOSITE	METALLIC	
74	MTS	ULTIMATE STEEL	TYLEX EVO	6246181	35-49	HIGH	S3 HI CI SRC	LEATHER	PU/PU	COMPOSITE	METALLIC	
74	MTS	ULTIMATE STEEL	SILVEX EVO	6246182	35-49	HIGH	S3 HI CI SRC	LEATHER	PU/PU	COMPOSITE	METALLIC	
74	MTS	ULTIMATE STEEL	CALEO	6246101	35-49	LOW	S3 HI CI SRC	SUEDE	PU/PU	COMPOSITE	METALLIC	
75	MTS	ULTIMATE STEEL	CERATA	6246102	35-49	MID	S3 HI CI SRC	SUEDE	PU/PU	COMPOSITE	METALLIC	
78	MTS	M-CLIMBER	ATLAS OVERCAP	6270663	38-48	MID	S3 HI CI SRC ESD	LEATHER	PU/TPU	COMPOSITE	NON METALLIC	
78	MTS	M-CLIMBER	ASPET	6270664	38-48	MID	S3 HI CI SRC ESD	LEATHER	PU/TPU	COMPOSITE	NON METALLIC	
78	MTS	M-CLIMBER	GALIBIER	6270665	38-48	MID	S3 HI CI SRC ESD	LEATHER	PU/TPU	COMPOSITE	NON METALLIC	
79	MTS	M-CLIMBER	ISERAN WR	1113803	38-48	MID	S3 HI CI WR SRC ESD	LEATHER	PU/TPU	COMPOSITE	NON METALLIC	
79	MTS	M-CLIMBER	IZOARD	1114003	38-48	MID	S3 HI CI SRC ESD	LEATHER	PU/TPU	COMPOSITE	NON METALLIC	

PAGE NO.	BRAND	RANGE	MODEL NAME	SKU	SIZE	STYLE	STANDARD	UPPER MATERIAL	OUTSOLE	TOE CAP	INSERTS	DGUV CERTIFIED
79	MTS	M-CLIMBER	SOULOR	1114403	38-48	MID	S3 HI CI SRC ESD	LEATHER	PU/TPU	COMPOSITE	NON METALLIC	
80	MTS	M-CLIMBER	TOURMALET	1114203	38-48	MID	S3 HI CI SRC ESD	LEATHER	PU/TPU	COMPOSITE	NON METALLIC	
80	MTS	M-CLIMBER	DAVIS	1024203S	38-48	HIGH	S3 HI CI SRC	LEATHER	PU/TPU	COMPOSITE	NON METALLIC	
80	MTS	M-CLIMBER	TAURUS OVERCAP	6270646	38-48	HIGH	S3 HI CI SRC	LEATHER	PU/TPU	COMPOSITE	NON METALLIC	
81	MTS	M-CLIMBER	KINLEY OVERCAP	1043400S	38-48	HIGH	S3 HI CI SRC	LEATHER	PU/TPU	COMPOSITE	NON METALLIC	
81	MTS	M-CLIMBER	RIGI	6270644	38-48	HIGH	S3 HI CI SRC	LEATHER	PU/TPU	COMPOSITE	NON METALLIC	
82	MTS	M-CLIMBER	CARLIT	1024503S	38-48	HIGH	S3 HI CI SRC	LEATHER	PU/TPU	COMPOSITE	NON METALLIC	
82	MTS	M-CLIMBER	ANETO OVERCAP	6270641	38-48	HIGH	S3 HI CI SRC	LEATHER	PU/TPU	COMPOSITE	NON METALLIC	
82	MTS	M-CLIMBER	POLAR OVERCAP	6270643	38-48	HIGH	S3 HI CI SRC	LEATHER	PU/TPU	COMPOSITE	NON METALLIC	
83	MTS	M-CLIMBER	ICEBERG OVERCAP	1050603S	38-48	HIGH	S3 HI CI SRC	LEATHER	PU/TPU	COMPOSITE	NON METALLIC	
83	MTS	M-CLIMBER	TIMBER	6270657	38-48	HIGH	S3 HI CI WR SRC	LEATHER	PU/TPU	COMPOSITE	NON METALLIC	
86	MTS	M-XTREME	GAMMA OVERCAP	6270666	38-48	LOW	S3 HI CI HRO SRC	LEATHER	PU/NITRILE	COMPOSITE	NON METALLIC	
86	MTS	M-XTREME	NEON OVERCAP	1066200S	38-48	MID	S3 HI CI HRO SRC	LEATHER	PU/NITRILE	COMPOSITE	NON METALLIC	
86	MTS	M-XTREME	INFRA OVERCAP	6270638	38-48	HIGH	S3 HI CI HRO SRC	LEATHER	PU/NITRILE	COMPOSITE	NON METALLIC	
87	MTS	M-XTREME	PLASMA OVERCAP	6270642	38-48	HIGH	S3 HI CI HRO SRC	LEATHER	PU/NITRILE	COMPOSITE	NON METALLIC	
87	MTS	M-XTREME	ARGON OVERCAP	1101503	38-48	MID	S3 HI CI HRO SRC	LEATHER	PU/NITRILE	COMPOSITE	NON METALLIC	
87	MTS	M-XTREME	VESUVE OVERCAP	6270667	38-48	HIGH	S3 HI CI HRO SRC	LEATHER	PU/NITRILE	COMPOSITE	NON METALLIC	
88	MTS	M-XTREME	CONSTRUCTION BTP MID	6552301	35-49	MID	S3S HI CI FO AN SC LG HRO SR	LEATHER	PU/NITRILE	COMPOSITE	NON METALLIC	
88	MTS	M-XTREME	CONSTRUCTION BTP RANGER	6552302	35-49	HIGH	S3S HI CI FO AN SC LG HRO SR	LEATHER	PU/NITRILE	COMPOSITE	NON METALLIC	
88	MTS	M-XTREME	KILI HRO	6270691	38-48	HIGH	S3 HI CI HRO SRC	NUBUCK LEATHER	PU/NITRILE	COMPOSITE	NON METALLIC	
90	MTS	M-XTREME	FORCE	6246203	37-48	LOW	S3 HI CI HRO SRC	LEATHER	PU/NITRILE	NON METALLIC	NON METALLIC	
90	MTS	M-XTREME	PROTECT	6246204	35-49	MID	S7S HI CI FO LG HRO SR	LEATHER	PU/NITRILE	NON METALLIC	NON METALLIC	
90	MTS	M-XTREME	HIKE	6246201	35-49	MID	S3 HI CI HRO SRC	LEATHER	PU/NITRILE	NON METALLIC	NON METALLIC	
91	MTS	M-XTREME	QUAD	6246212	35-49	HIGH	S3 HI CI HRO SRC	LEATHER	PU/NITRILE	NON METALLIC	NON METALLIC	
91	MTS	M-XTREME	BACOU HULSO BTP	6246154	35-49	HIGH	S3 HI CI HRO SRC	MICROFIBER	PU/NITRILE	NON METALLIC	NON METALLIC	
92	MTS	M-XTREME	COLLECT	6246202	37-48	HIGH	S3 HI CI HRO SRC	LEATHER	PU/NITRILE	NON METALLIC	NON METALLIC	
92	MTS	M-XTREME	COLLECT ICE	6246210	37-48	HIGH	S3 HI CI HRO SRC	LEATHER	PU/NITRILE	NON METALLIC	NON METALLIC	
93	MTS	M-XTREME	BALLAST 2.0 FLS	6270612	35-49	HIGH	S7S HI CI WR HRO LG SR	LEATHER	PU/NITRILE	COMPOSITE	NON METALLIC	

PAGE NO.	BRAND	RANGE	MODEL NAME	SKU	SIZE	STYLE	STANDARD	UPPER MATERIAL	OUTSOLE	TOE CAP	INSERTS	DGUV CERTIFIED
93	MTS	M-XTRME	BALLAST 2.0 WITH LACES	6270613	35-49	HIGH	S7S HI CI FO LG HRO AN SC SR	LEATHER	PU/NITRILE	COMPOSITE	NON METALLIC	
93	MTS	M-XTRME	BALLAST ICE EVO	6246217	37-48	HIGH	S3 HRO HI CI SRC	LEATHER	PU/NITRILE	NON METALLIC	NON METALLIC	
94	MTS	M-XTRME	EXONO EVO	6245890	38-48	MID	S3 HRO SRC	MICROFIBER	PU/NITRILE	FIBREGLASS	NON METALLIC	
95	MTS	M-XTRME	ARGONO EVO	6245892	38-48	MID	S3 HRO SRC	LEATHER	PU/NITRILE	FIBREGLASS	NON METALLIC	
95	MTS	M-XTRME	PROTECTOR EVO	6245893	38-48	MID	S3 M HRO SRC	LEATHER	PU/NITRILE	FIBREGLASS	NON METALLIC	
95	MTS	M-XTRME	FREEROAD WR	6245891	38-48	MID	S3 HI CI WR HRO SRC	LEATHER	PU/NITRILE	FIBREGLASS	NON METALLIC	
97	MTS	TECH	ACCESS	1091403S	35-49	LOW	S3 HI CI SRC ESD	MICROFIBER	PU/PU	COMPOSITE	NON METALLIC	YES
97	MTS	TECH	TOTAL	1091303S	35-49	LOW	S3 HI CI SRC ESD	MICROFIBER	PU/PU	COMPOSITE	NON METALLIC	YES
97	MTS	TECH	POWER	1093603S	35-48	LOW	S3 HI CI SRC ESD	LEATHER	PU/PU	COMPOSITE	NON METALLIC	YES
97	MTS	TECH	POWER FLS	6270653	35-48	LOW	S3S HI CI FO LG SR ESD	TEXTILE LEATHER	PU/PU	COMPOSITE	NON METALLIC	YES
98	MTS	TECH	RUNNER	1092703S	35-48	MID	S3 HI CI SRC ESD	LEATHER	PU/PU	COMPOSITE	NON METALLIC	YES
98	MTS	TECH	RUNNER FLS	6270654	35-48	MID	S3S HI CI FO LG SR ESD	TEXTILE LEATHER	PU/PU	COMPOSITE	NON METALLIC	YES
98	MTS	TECH	BIONIC	1093802S	35-48	LOW	S1P HI CI SRC ESD	MICROFIBER	PU/PU	COMPOSITE	NON METALLIC	YES
98	MTS	TECH	SONIC	1091503S	35-48	MID	S1P HI CI SRC ESD	MICROFIBER	PU/PU	COMPOSITE	NON METALLIC	YES
99	MTS	TECH	ACTIVE	1091803S	35-48	LOW	S3 HI CI SRC ESD	LEATHER	PU/PU	COMPOSITE	NON METALLIC	YES
99	MTS	TECH	GRAVITY	6270658	35-48	LOW	S3 HI CI SRC ESD	LEATHER	PU/PU	COMPOSITE	NON METALLIC	YES
99	MTS	TECH	INFINY	6270659	35-48	MID	S3 HI CI SRC ESD	LEATHER	PU/PU	COMPOSITE	NON METALLIC	YES
100	MTS	TECH	ULTIM	1091603S	35-48	MID	S3 HI CI SRC ESD	LEATHER	PU/PU	COMPOSITE	NON METALLIC	YES
100	MTS	TECH	SCORE	6270645	35-48	MID	S3 HI CI SRC ESD	LEATHER	PU/PU	COMPOSITE	NON METALLIC	YES
100	MTS	TECH	CONSTRUCTOR	1091903S	35-48	MID	S3 HI CI SRC ESD	LEATHER	PU/PU	COMPOSITE	METALLIC	YES
101	MTS	TECH	FIELD WR	1090903S	35-48	LOW	S3 HI CI WR SRC ESD	LEATHER	PU/PU	COMPOSITE	NON METALLIC	YES
101	MTS	TECH	SHIELD WR	1090803S	35-48	MID	S3 HI CI SRC ESD	LEATHER	PU/PU	COMPOSITE	NON METALLIC	YES
101	MTS	TECH	UTOPIA	6270660	35-48	SANDAL	S1P HI CI SRC ESD	LEATHER	PU/PU	COMPOSITE	NON METALLIC	YES
104	MTS	START UP	AERO UP	1084801S	35-48	LOW	S1 CI SRC	SUEDE MICROFIBER	PU/PU	STEEL	METALLIC	
104	MTS	START UP	AERO UP S1P	1084903S	35-48	LOW	S1P CI SRC	SUEDE MICROFIBER	PU/PU	STEEL	METALLIC	
104	MTS	START UP	KART UP S1P	6270668	35-48	SANDAL	S1P CI SRC	SUEDE MICROFIBER	PU/PU	STEEL	METALLIC	
104	MTS	START UP	AIRMAX S1	1085003S	35-48	LOW	S1 CI SRC	MICROFIBER	PU/PU	STEEL	METALLIC	
104	MTS	START UP	AIRMAX UP S1P	6270669	35-48	LOW	S1P CI SRC	MICROFIBER	PU/PU	STEEL	METALLIC	
105	MTS	START UP	COCKPIT S1	6270670	35-48	SANDAL	S1 SRC	LEATHER	PU/PU	STEEL	METALLIC	

PAGE NO.	BRAND	RANGE	MODEL NAME	SKU	SIZE	STYLE	STANDARD	UPPER MATERIAL	OUTSOLE	TOE CAP	INSERTS	DGUV CERTIFIED
105	MTS	START UP	STREAMERS S1	6270671	35-48	SANDAL	S1 SRC	LEATHER	PU/PU	STEEL		
105	MTS	START UP	RACER S1	6270672	35-48	LOW	S1 SRC	LEATHER	PU/PU	STEEL		
106	MTS	START UP	CONTACT S3	6270673	35-48	LOW	S3 CI SRC	LEATHER	PU/PU	STEEL	METALLIC	
106	MTS	START UP	MONACO UP S2	1085101S	35-48	LOW	S2 CI SRC	SUEDE MICROFIBER	PU/PU	STEEL		
106	MTS	START UP	MONACO UP S3	6270674	35-48	LOW	S3 CI SRC	SUEDE MICROFIBER	PU/PU	STEEL	METALLIC	
106	MTS	START UP	MELBOURNE UP S2	6270675	35-48	MID	S2 CI SRC	SUEDE MICROFIBER	PU/PU	STEEL		
106	MTS	START UP	MELBOURNE UP S3	1085203S	35-48	MID	S3 CI SRC	SUEDE MICROFIBER	PU/PU	STEEL	METALLIC	
107	MTS	START UP	DINGO	6270676	38-47	MID	S3 CI SRC	LEATHER	PU/PU	STEEL	METALLIC	
107	MTS	START UP	KOALA S3	6270680	35-48	MID	S3 CI SRC	LEATHER	PU/PU	STEEL	METALLIC	
109	MTS	MCITY	LONDON	1044200S	38-47	LOW	S3 HI CI SRC	LEATHER	PU/PU	COMPOSITE	NON METALLIC	
109	MTS	MCITY	PARIS	1044300S	38-47	LOW	S3 HI CI SRC	LEATHER	PU/PU	COMPOSITE	NON METALLIC	
111	MTS	OIL & GAS	SYNERGIC	6246220	35-49	MID	S3 HI CI SRC	LEATHER	PU/PU	COMPOSITE	NON METALLIC	
111	MTS	OIL & GAS	ENERGIC	6246221	35-49	HIGH	S3 HI CI SRC	LEATHER	PU/PU	COMPOSITE	NON METALLIC	
113	MTS	FIRE	FIREPRO F2A	6246280	38-48	HIGH	F2A HI3 SRC	LEATHER	NITRILE/PU	COMPOSITE	METALLIC	
113	MTS	FIRE	FIRESTORM F2A	6246281	38-48	HIGH	F2A HI3 SRC	LEATHER	NITRILE/PU	COMPOSITE	METALLIC	
116	KINGS	KWD RANGE	CHELSEA SAFETY BOOT	KWD106	36-48	MID	S1 PFO LG SR	LEATHER	PU/PU	STEEL	METALLIC	
116	KINGS	KWD RANGE	CHELSEA SAFETY BOOT	KWD106X	36-48	MID	S1 FO LG SR	LEATHER	PU/PU	STEEL	METALLIC	
116	KINGS	KWD RANGE	HIGH CUT RIGGER	KWD205	36-48	HIGH	S1 PFO LG SR	LEATHER	PU/PU	STEEL	METALLIC	
116	KINGS	KWD RANGE	HIGH CUT RIGGER	KWD205X	36-48	HIGH	S1 FO LG SR	LEATHER	PU/PU	STEEL	METALLIC	
116	KINGS	KWD RANGE	HIGH CUT RIGGER	KWD205C	36-48	HIGH	S1P FO LG SR	LEATHER	PU/PU	STEEL	METALLIC	
116	KINGS	KWD RANGE	HIGH CUT RIGGER	KWD205CX	36-48	HIGH	S1 FO LG SR	LEATHER	PU/PU	STEEL	METALLIC	
116	KINGS	KWD RANGE	ZIPPER SAFETY BOOT	KWD206	36-48	MID	S1P FO LG SR	LEATHER	PU/PU	STEEL	METALLIC	
116	KINGS	KWD RANGE	ZIPPER SAFETY BOOT	KWD206X	36-48	MID	S1 FO LG SR	LEATHER	PU/PU	STEEL	METALLIC	
117	KINGS	KWD RANGE	BK LOWCUT LACEUP DD SHOES S03	KW5200	36-48	LOW	S1P FO LG SR	LEATHER	PU/PU	STEEL	METALLIC	
117	KINGS	KWD RANGE	ANKLE LACED BOOT	KWD301	36-48	MID	S1P FO LG SR	LEATHER	PU/PU	STEEL	METALLIC	
117	KINGS	KWD RANGE	ANKLE LACED BOOT	KWD301X	36-48	MID	S1 FO LG SR	LEATHER	PU/PU	STEEL	METALLIC	
117	KINGS	KWD RANGE	ANKLE LACED BOOT	KWD301K	36-48	MID	S1P FO LG SR	LEATHER	PU/PU	STEEL	METALLIC	
117	KINGS	KWD RANGE	ANKLE LACED BOOT	KWD301KX	36-48	MID	S1 FO LG SR	LEATHER	PU/PU	STEEL	METALLIC	
117	KINGS	KWD RANGE	SLIP ON	KWD207	36-48	LOW	S1P FO LG SR	LEATHER	PU/PU	STEEL	METALLIC	
117	KINGS	KWD RANGE	SLIP ON	KWD207X	36-48	LOW	S1 FO LG SR	LEATHER	PU/PU	STEEL	METALLIC	
118	KINGS	KWX SERIES	HIGH CUT RIGGER	KWX205-R	36-48	HIGH	S3 FO LG SR	LEATHER	PU/PU	STEEL	METALLIC	

PAGE NO.	BRAND	RANGE	MODEL NAME	SKU	SIZE	STYLE	STANDARD	UPPER MATERIAL	OUTSOLE	TOE CAP	INSERTS	DGUV CERTIFIED
118	KINGS	KWX SERIES	HIGH CUT RIGGER	KWX205C-R	36-48	HIGH	S3 FO LG SR	LEATHER	PU/PU	STEEL	METALLIC	
118	KINGS	KWX SERIES	HIGH CUT RIGGER	KWX205CX-R	36-48	HIGH	S2 FO LG SR	LEATHER	PU/PU	STEEL		
118	KINGS	KWX SERIES	HIGH CUT RIGGER	KWX205X-R	36-48	HIGH	S2 FO LG SR	LEATHER	PU/PU	STEEL		
118	KINGS	KWX SERIES	ANKLE LACED BOOT	KWX301-R	36-48	MID	S3 FO LG SR	LEATHER	PU/PU	STEEL	METALLIC	
118	KINGS	KWX SERIES	ANKLE LACED BOOT	KWX301K-R	36-48	MID	S3 FO LG SR	LEATHER	PU/PU	STEEL	METALLIC	
118	KINGS	KWX SERIES	ANKLE LACED BOOT	KWX301X-R	36-48	MID	S2 FO LG SR	LEATHER	PU/PU	STEEL		
119	KINGS	95 SERIES	LOW CUT LACED	9521	37-47	LOW	S1P SRC	LEATHER	PU/PU	STEEL	METALLIC	
119	KINGS	95 SERIES	ANKLE LACED BOOT	9525	37-47	MID	S1P SRC	LEATHER	PU/PU	STEEL	METALLIC	
119	KINGS	95 SERIES	ANKLE LACED BOOT	9535	37-47	MID	S3 SRC	LEATHER	PU/PU	STEEL	METALLIC	
119	KINGS	95 SERIES	LOW CUT LACED	9531	37-47	LOW	S3 SRC	LEATHER	PU/PU	STEEL	METALLIC	
121	KINGS	NITLITE	WELD MID	6227314	38-47	MID	S3 M HI CI HRO SRC	LEATHER	RUBBER	STEEL	METALLIC	
121	KINGS	NITLITE	WELD HIGH	6227313	38-47	HIGH	S3 M HI CI HRO SRC	LEATHER	RUBBER	STEEL	METALLIC	
121	KINGS	NITLITE	MAXI BOOT EVO	6245896	38-47	MID	S3 HRO SRC	LEATHER	RUBBER	STEEL	METALLIC	
122	KINGS	NITLITE	TRAINING LUX EVO	6245897	38-47	LOW	S3 HRO SRC	LEATHER	RUBBER	STEEL	METALLIC	
122	KINGS	NITLITE	HORALO EVO	6245895	38-47	MID	S1P HRO SRC	LEATHER	RUBBER	STEEL	METALLIC	
122	KINGS	NITLITE	SUPER BOOT EVO	6245894	38-47	MID	S1P HRO SRC	LEATHER	RUBBER	STEEL	METALLIC	
123	KINGS	NITLITE	RIGGER EVO	6245898	38-47	HIGH	S3 HRO SRC	LEATHER	RUBBER	STEEL	METALLIC	
125	KINGS	WHITE	CLOG OB	6551710	35-50	SANDAL	OB EA FO SRC ESD	MICROFIBER	PU			
125	KINGS	WHITE	SLIP ON	6551711	35-50	LOW	S2 SRC ESD	MICROFIBER	PU	STEEL		
125	KINGS	WHITE	MID CUT BOOT	6551712	35-50	MID	S2 SRC ESD	MICROFIBER	PU	STEEL		
126	KINGS	WHITE	SANDAL S1	6551713	35-50	SANDAL	S1 SRC ESD	MICROFIBER	PU	STEEL		
126	KINGS	WHITE	SANDAL S1P	6551714	35-50	SANDAL	S1P SRA ESD	MICROFIBER	PU	STEEL	METALLIC	



HONEYWELL SAFETY PRODUCTS

UNITED KINGDOM

Honeywell Safety Products UK Ltd

Cheaney Drive, Grange Park,

Northampton, NN4 5FB

United Kingdom

Phone : +44 (0) 1604 660600

Email: info-uk.hsp@honeywell.com

FOR TECHNICAL QUESTIONS

INDUSTRIAL SAFETY PPE TECHNICAL SUPPORT

Free Phone: 00 800 3344 2803 (free calls in Europe)

Phone: +44 (0) 1698 647 087 (paid calls)

Email: IS.PPE.TECHSUPPORT.EUROPE@honeywell.com

